

REGISTRATION NO.	TRADE NAME	ACTIVE INGREDIENT(S)	MANUFACTURER/ REGISTRANT	AGENT	USES
MW/PCB/2008/0001	Shumba Super Dust	<i>Fenitrothion 1.0%</i> (organophosphorus) + <i>Deltamethrin 0.13%</i> (pyrethroid)	EcoMark, Ecomed	Mpatsa Trading	Non-systemic Insecticide with contact and stomach action for use as a grain protectant against stored grain insect pests like weevils, lesser grain borer, larger grain borer, moths and dried bean beetle. WHO CLASS II
MW/PCB/2008/0002	Supakill AEROSOL	<i>Pyrethrins 2 g/kg+</i> <i>Cypermethrin 1.56 g/kg+</i> <i>Tetramethrin 4 g/kg + Piperonyl</i> <i>5g/kg</i>	Twiga Chemical Industries Ltd.	Leyland DAF (Malawi) Ltd	Insecticide for the control of mosquitoes, flies and crawling insects like coachroaches and ants.
MW/PCB/R/2013/0003	Super Guard Dust	<i>Piriphos - Methyl</i> (organophosphorus) + <i>Permethrin (pyrethroid)</i>	Avima (Pvt) Ltd	Chemicals & Marketing, Chemicals World	Insecticide for the control of stored maize and small grain cereals pests, including control of Larger Grain Borer.
MW/PCB/R/2013/0004	Super Guard Dust	<i>Pirimiphos - Methyl 400 g/l+</i> <i>Permethrin 100g/l</i>	Avima (Pvt) Ltd	Chemicals & Marketing, Chemicals World	Insecticide for the control of stored product pests in stored maize, wheat, sorghum and bagged groundnuts and soya beans. Also controls Large Grain Borers.
MW/PCB/2008/0005	Guardian 50 EC	<i>Pirimiphos - Methyl</i>	Avima (Pvt) Ltd.-	Chemicals & Marketing	Broad -spectrum Insecticide with contact and respiratory action for the control of storage pests in stored grain, bulk stored grain, bagged grain and storage surfaces. Also for the control of insect pests in potatoes, vegetables, citrus, bananas and pineapples.
MW/PCB/2008/0006	Ethylene Dibromide MO (EDB)	<i>Ethylene Dibromide (EDB)</i>	Avima (Pvt) Ltd.-	Chemicals & Marketing	Nematicide and soil-insecticide/sterilant for the control of nematodes , wireworms and other soil pests.

MW/PCB/2008/0007	Cruiser 350FS	<i>Thiamethoxam</i>	Syngenta Crop Prot.	Farmers Organisation	Broad -spectrum systemic Insecticide for control of sucking & some chewing insects in vegetables, ornamentals, flowers and leaf miner in coffee; For use on tobacco to control aphids, weevils, whiteflies and leaf beetles.
MW/PCB/R/2013/0008	Melody Duo 69 WG	<i>Propineb 600 g/kg +Iprovalicarb 90 g/kg</i>	Bayer	Farmers Organisation	Fungicide for the control of late blight on potatoes and tomatoes.
MW/PCB/2008/0009	Lebaycid 500 EC	<i>Fenthion 500g/l</i>	Bayer	Farmers Organisation	Insecticide with contact, stomach and respiratory action for the control of fruit flies, codling moth, pumpkin flies, bryobia, mite, aphids, antestia bug, and mango weevil on mangoes, guavas, apricots, peaches, cucurbits, coffee and plums. WHO CLASS II
MW/PCB/R/2013/0010	Gaicho 600 FS	<i>Imidacloprid</i>	Bayer	Farmers Organisation	A maize dressing systemic insecticide for the control of leaf hoppers, soil pests, snout beetle and dusty surface beetle and aphids on tobacco. WHO CLASS II
MW/PCB/2008/0011	Gaicho 70 WS	<i>Imidacloprid 700 g/kg</i>	Bayer	Farmers Organisation	Systemic insecticide containing seed dressing for use on maize seed for the control of black maize beetle, false wireworms, root worms, <i>Astylus</i> larva, ground weevils and leaf hoppers on wheat seed. WHO CLASS II
MW/PCB/2008/0012	Gaicho T 45 WS	<i>Imidacloprid 25%+ Thiram 20% (TMTD)</i>	Bayer	Farmers Organisation	Insecticide/Fungicide used for seed dressing against fungal diseases and soil-borne pests.

MW/PCB/R/2013/0013	Folicur 250 EW	<i>Tebuconazole 250 g/l</i>	Bayer	Farmers Organisation	Fungicide used in tobacco lands against alternaria leaf spot; in beans against rust; potatoes and tomatoes against early blight; coffee and soybeans against rust; barley against net blotch; paprika against powdery mildew; and wheat against leaf rust.
MW/PCB/2008/0014	Disyston 5 GR	<i>Disulfoton 50 g/kg</i>	Bayer	Farmers Organisation	Insecticide for the control of Aphids on potatoes, cabbages, roses and tobacco seedbeds and lands; leaf miner on coffee as well as thrips on onions.
MW/PCB/2008/0015	Dedevap	<i>Dichlorvos</i>	Bayer	Farmers Organisation	Insecticide used in Public Health to control household pests and protecting stored products.
MW/PCB/2008/0016	Monceren 250 SC	<i>Pencycuron (Phenylurea)250 g/l</i>	Bayer	Farmers Organisation	Fungicide for the control of stem canker and black scurf on potatoes.
MW/PCB/2008/0017	Mesuroil 80 WP	<i>Methiocarb</i>	Bayer	Farmers Organisation	Molluscicide and Insecticide for use as a bait for control of snails, slugs, millipeds and thrips on citrus.
MW/PCB/2008/0018	Tiara 500 SC	<i>Flufenacet 500 g/l</i>	Bayer	Farmers Org.	Herbicide for pre-emergence control of annual grasses in maize and soybeans, and broadleaf when used in combination with Triazine or Sencor 480 SC.
MW/PCB/2008/0019	Tamaron 600 SL	<i>Methamidophos 600 g/l</i>	Bayer	Farmers Org.	Insecticide for the control of sucking, biting and chewing pests.
MW/PCB/2008/0020	Sencor 480 SC	<i>Metribuzin480 g/l</i>	Bayer	Farmers Org.	Herbicide for the control of annual broadleaf weeds and grasses in potatoes, soybeans, sugarcane and transplanted tomatoes.
MW/PCB/2008/0021	Repulse 5.75 GR	<i>Triadimenol (0.75%) + Disulfoton (5%)</i>	Bayer	Farmers Organisation	Fungicide/Insecticide mixture for the control of leaf miner and leaf rust on coffee.

MW/PCB/2008/0022	Nemacur 10 GR	<i>Fenamiphos 100 g/kg</i>	Bayer	Farmers Organisation	Nematicide for the control of nematodes in bananas, tomatoes, citrus, papayas, cotton, guavas, ginger, tobacco and groundnuts.
MW/PCB/2008/0023	Nemacur 400 EC	<i>Fenamiphos 400 g/l</i>	Bayer	Farmers Organisation	Nematicide for the control of root knot nematodes on tobacco, granadillas, potatoes and tomatoes, citrus nematodes and nematodes in pineapples and grapes.
MW/PCB/R/2013/0024	Monceren GT 390 FS	<i>Imidacloprid + Pencycuron + Thiram</i>	Bayer	Farmers Organisation	Fungicide/Insecticide for the control of aphids, whitefly, leaf hoppers, thrips, jassids, termites, Rhizoctonia solani and damping off diseases on cotton.
MW/PCB/2008/0025	Marshal 25 EC	<i>Carbosulfan 250 g/l</i>	Bayer	Farmers Organisation	Systemic Insecticide for the control of Aphids on cotton.
MW/PCB/R/2013/0026	Decis Forte 100 EC	<i>Deltamethrin 100 g/l</i>	Bayer	Farmers Organisation	Insecticide for the control of cutworm on tobacco, heliothis, red and spiny bollworms, stainers, jassids and leaf eaters on cotton.
MW/PCB/2008/0027	Decis	<i>Deltamethrin</i>	Bayer	Farmers Organisation	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2008/0028	Decistab 25% WD Tablets	<i>Deltamethrin 250 g/kg</i>	Bayer	Farmers Organisation	Insecticide used for the control of American bollworms and red bollworms on apples, pears, beans, groundnuts, grain, sorghum, cotton, grapes and lupins; and chilo stalk borer on maize.
MW/PCB/2008/0029	Aliette WG	<i>Fosety-AI 800 g/kg</i>	Bayer	Farmers Organisation	Fungicide for the control of phytophthora diseases such as root and collar rot citrus, root and base rot in pine apples, root rot in grape vines, avocados and proteas.
MW/PCB/2008/0030	Thiadan 35 EC	<i>Endosulfan 475 g/l</i>	Bayer	Farmers Organisation	Insecticide/acaricide to control horticultural insect pests.

MW/PCB/2008/0031	Temik GR	<i>Aldicarb 150g/kg</i>	Bayer	Farmers Organisation	Insecticide for control of insects, nematodes and mites in bananas, cotton, citrus, groundnuts, maize, tobacco, sugarcane, tomatoes and potatoes.
MW/PCB/R/2014/0032	Ronstar EC	<i>Oxadiazon 250 g/l</i>	Bayer	Farmers organisation	Herbicide for the control of broad leaf weeds and certain annual grasses.
MW/PCB/2008/0033	Rovral Flo	<i>Iprodione 250g/l</i>	Bayer	Farmers organisation	Fungicide for the control of altemaria in apples and brown spot in tobacco, post-harvest diseases in stone fruit and rhizoctonia in potatoes.
MW/PCB/2008/0034	Merlin WDG	<i>Isoxaflutole</i>	Bayer	Farmers organisation	Herbicide for the control of certain broadleaf and grass weeds in sugarcane.
MW/PCB/2008/0035	Bulldock 050 EC	<i>Beta - Cyfluthrin 50 g/l</i>	Bayer	Farmers organisation	Insecticide for the control of banded fruit weevil and coding moth in apples and pears; stalkborer in maize and sorghum; American bollworm in maize, tomatoes, peas, beans, soybeans, wheat and lucerne and cutworms in all crops.
MW/PCB/R/2013/0036	Calypso 480 SC	<i>Thiaclopid 480 g/l</i>	Bayer	Farmers organisation	Insecticide for the control of aphids on cotton, tobacco and thrips on citrus.
MW/PCB/R/2013/0037	Confidor 200 SL	<i>Imidacloprid 200g/l</i>	Bayer	Farmers Organisation	Insecticide for the control of aphids and termites on tobacco; thrips on flowers; whitefly on tomatoes; termites on maize and cotton and sucking pests on citrus.

MW/PCB/2008/0038	Bayleton 250 EC	<i>Triadimenol 250 g/l</i>	Bayer	Farmers Organisation	Fungicide for the control of mildew in cucurbits, tomatoes, pepper, egg plants and pawpaws. It also provides systemic control of ring spot on cabbages and cauliflowers and even pineapple disease of sugarcane.
MW/PCB/R/2013/0039	Baytan 15 DS	<i>Triadimenol 150 g/l</i>	Bayer	Farmers Organisation	Fungicide for the control of sore shin in tobacco and various diseases as well as wheat and barley dressing.
MW/PCB/R/2013/0040	Bulldock 0.05 GR	<i>Beta - Cyfluthrin 0.5 g/l</i>	Bayer	Farmers Organisation	Insecticide for the control of American bollworm on tobacco and stalkborer on maize.
MW/PCB/2008/0041	Bayfidan 250 DC	<i>Triadimenol 250 g/l</i>	Bayer	Farmers Organisation	Fungicide for the control of powdery mildew on mangoes and peas and rust on coffee and soybeans.
MW/PCB/2008/0042	Bayfidan 1 GR	<i>Triadimenol 10 g/kg</i>	Bayer	Farmers Organisation	Fungicide for the control of rust on coffee.
MW/PCB/2008/0043	Thioflo 475 SC	<i>Endosulfan 475 g/l</i>	Bayer	Farmers Organisation	Insecticide for use on agricultural and horticultural crops.
MW/PCB/2008/0044	Mocap GR	<i>Ethoprophos 150 g/kg</i>	Bayer	Farmers Organisation	Nematicide for the control of nematodes in potatoes, tobacco and vegetables.
MW/PCB/2008/0045	Methyl Bromide L	<i>Methyl Bromide 980g/kg</i>	Membrom	Farmers Organisation	Fungicide/nematicide/Insecticide/Herbicide used as a soil fumigant for the control of nematodes, insects, worms, root diseases and weed seeds; tobacco beetle, tobacco moths and black root rot in tobacco; woodbollers in timber.
MW/PCB/2008/0046	Antank	<i>N Decanol - 1-01</i>	Membrom	Farmers Organisation	Plant growth regulator
MW/PCB/2008/0047	EDB MO	<i>Ethylene Dibromide</i>	Membrom	Farmers Organisation	Fumigant/Nematicide for the control of nematodes while the field is free of crops.

MW/PCB/2008/0048	Methyl Bromide L	<i>Methyl Dibromide 1000g/kg</i>	Membrom	Farmers Organisation	Fumigant insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc.
MW/PCB/2008/0049	Membrom EDB TEK	<i>Ethylene Dibromide</i>	Membrom	Farmers Organisation	Fumigant/Nematicide for the control of nematodes while the field is free of crops.
MW/PCB/2008/0050	Tabamex Plus EC	<i>Butralin 360g/l</i>	Nufarm SA	Farmers Organisation	Plant growth regulator used as a sucker control agent in tobacco.
MW/PCB/2008/0051	Cislin SC	<i>Deltamethrin 2.5%</i>	Bayer	Farmers Organisation	Insecticide for the control of cockroaches, bed bugs, fleas, ants, mosquitoes, moths, wasps and tobacco beetles.
MW/PCB/R/2013/0052	Amigo GT 275 FS	<i>Imidachloprid 175 g/l+ Thiram 100 g/l</i>	Bayer	Farmers Organisation	Insecticide and fungicide for the control of <i>Astylus larva</i> black maize beetle, dusty surface beetle, false wire worm, ground weevil, root worms, snout beetle and leaf hoppers (the vectors of streak disease in maize).
MW/PCB/2008/0053	K-Othrine 250 WG	<i>Deltamethrin 250 g/kg</i>	Bayer	Farmers Organisation	Insecticide used in Public Health for the control of malaria vector mosquitoes. Also controls crawling insects including bed bugs.
MW/PCB/2008/0054	K-Othrine 25 SC	<i>Deltamethrin 250 g/l</i>	Bayer	Farmers Organisation	Insecticide used to control mosquitoes, tobacco beetle and other crawling insects.

MW/PCB/2008/0055	Tamaron 585 SL	<i>Methamidophos 585g/l</i>	Bayer Crop Science (pty) Ltd	Farmers Organisation	Insecticide for the control of aphid, tuber moth and cut worm on potatoes; aphid and diamond back moth larvae on cruciferae; aphid and suppression of oriental fruit moth on peaches; American bollworm and leaf miner on tomatoes and tobacco.
MW/PCB/2008/0056	Sevin 85WP	<i>Carbaryl</i>	Bayer	Farmers Organisation	Insecticide for the control of various pests on crops, lawns, skins and hides and for thinning of certain apple varieties.
MW/PCB/R/2014/0057	Actara WG	<i>Thiamethoxam 25%</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Insecticide for the control of sucking & some chewing insects in vegetables, ornamentals, flowers and leaf miner in coffee; For use on Tobacco to control aphids, weevils, white flies and leaf beetles.
MW/PCB/R/2014/0058	Actellic 50EC	<i>Pririmiphos-methyl 500 g/l</i>	Syngenta Crop Prot.	Farmers Organisation	Insecticide for the control of mosquito larvae in pools, ponds and puddles in water.
MW/PCB/2008/0059	Actellic Super Dust	<i>Pririmiphos-methyl 16 g/kg+Permethrin 3g/kg</i>	Syngenta Crop Prot.	Farmers Organisation	Insecticide for the control of larger grain borer, lesser grain borer, weevils, flour beetle and moths in stored grain.
MW/PCB/2008/0060	Alto 100SL	<i>Cyproconazole 10%</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of leaf rust in coffee and sore shin in tobacco seed beds.
MW/PCB/2008/0061	Banvel 480SL	<i>Dicamba 480 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for post-emergence control of broadleaved weeds, volunteer soyabeans, MCPA tolerant weeds in wheat and barley, and broadleaved weeds in maize.

MW/PCB/R/2014/0062	Bion 50WG	<i>Acibenzolar-S-methyl 50%</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the protection of tobacco plants against wildfire and angular leafspot, <i>Rhizoctonia</i> leaf spot and <i>Cercospora nicotinae</i> .
MW/PCB/R/2014/0063	Bravo 720SC	<i>Chlorothalonil 720 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of fungal diseases in coffee, groundnuts, potatoes, tomatoes, cucurbits, roses, beans, onions and lawnturf .
MW/PCB/R/2014/0064	Dual Magnum	<i>S-metolachlor 96%</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for the control of annual grasses in cotton, kidney beans, soyabeans, groundnuts, sunflower, potatoes, sugarcane, tobacco and maize.
MW/PCB/2008/0065	Gesapax 500SC	<i>Ametryn 490 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for pre- and post-emergence control of grasses and broadleaf weeds in bananas, sugarcane, pineapples and cassava. When used in sugarcane in combination with MCPA or 2,4-D amine, it will also control yellow nutsedge effectively. Also for post-emergence directed application in maize.
MW/PCB/2008/0066	Gesaprim 500SC	<i>Atrazine 500g/L</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for the control of most annual broadleaf weeds and some grasses in maize, sorghum and sugarcane.
MW/PCB/2008/0067	Gesaprim 90WG	<i>Atrazine 873 g/kg</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for the control of most annual broadleaf weeds and some grasses in maize, sorghum and sugarcane.
MW/PCB/2008/0068	Gramoxone 20 SL	<i>Paraquat 200 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	A non-selective contact Herbicide and crop Dessicant.

MW/PCB/2008/0069	Icon 10CS	<i>Lambda-cyhalothrin 100 g/l</i>	Syngenta Crop Prot.	Farmers Organisation	Insecticide for the control of mosquito vectors of malaria and coachroaches. Suitable for indoor and outdoor use.
MW/PCB/2008/0070	Icon 10WP	<i>Lambda-cyhalothrin 100 g/kg</i>	Syngenta Crop Prot.	Farmers Organisation	Insecticide for the control of mosquito vectors of malaria and coachroaches. Suitable for indoor and outdoor use.
MW/PCB/2008/0071	Icon 2.5CS	<i>Lambda-cyhalothrin 25 g/l</i>	Syngenta Crop Prot.	Farmers Organisation	Insecticide for treating mosquito nets and curtains against mosquitoes.
MW/PCB/R/2014/0072	Karate 5EC	<i>Lambda-cyhalothrin 50 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Insecticide for the control of red, spiny and heliothis bollworms and certain other pests in cotton; cutworm in all crops excluding cotton and armyworm on pasture.
MW/PCB/R/2014/0073	Ortiva 250SC	<i>Azoxystrobin 250 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of <i>Altenaria</i> in tobacco seedbeds and fungal diseases in flowers.
MW/PCB/2008/0074	Polytrin C 440EC	<i>Cypermethrin 40g/l+ Profenofos 400g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Insecticide for use in cotton, soyabeans and potatoes. Both components are especially active on lepidopterous larvae. In addition, profenofos provides good control of non-resistant aphids, spider mites and other sucking pests. Polytrin also has acaricidal properties when used on cotton.
MW/PCB/2008/0075	Polytrin Ka 315EC	<i>Lambda-cyhalothrin 15 g/l+ Profenofos 300 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Insecticide for the control of aphids, spider mites and other sucking pests in cotton. It also has acaricidal properties.

MW/PCB/2008/0076	Prime + 125EC	<i>Flumetralin 125 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Plant Growth Regulator used as a tobacco sucker control agent for sucker growth and development on flue-cured virginia and air-cured burley tobacco.
MW/PCB/R/2014/0077	Ridomil Gold MZ 68WG	<i>Metalaxyl-M 4% + Mancozeb 645</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of late blight on potatoes and tomatoes; black shank on tobacco lands and downy mildew on vegetables and roses.
MW/PCB/2008/0078	Ronstar 250 EC	<i>Oxadiazon 250 g/l</i>	Syngenta Crop Prot.	Farmers Organisation	Herbicide for the control of broadleaf weeds and certain annual grasses on coffee, onions, lawns, soybeans, tea and roses.
MW/PCB/R/2014/0079	Score 250EC	<i>Difenoconazole 250 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of Cercospora in groundnuts; grey leafspot in maize; rust in soybeans.
MW/PCB/2008/0080	Selecron 500EC	<i>Profenofos 500g/L</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Insecticide and Acaricide for the control of various insects on cotton, citrus, tomatoes, cruciferae, potatoes, onions and vegetables.
MW/PCB/R/2014/0081	Servian 75WG	<i>Halosulfuron 750 g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for post-emergence control of nutsedge and certain broadleaf weeds in grain sorghum, maize, sugarcane, avocados, citrus, mangoes and lawns.
MW/PCB/2008/0082	Sorgomil Gold 600SC	<i>S-Metolachlor 10.28%(chloroacetanilide)+ Terbutylazine 49.72%(chlorotriazine)</i>	Syngenta Crop Protection AG syngenta@syngenta.com	Farmers Organisation & Chemicals and Marketing	Pre-emergence Herbicide for the control of most annual broadleaf weeds and many grasses in maize, and when applied as a directed application to young and mature tea and coffee and vineyards WHO CLASS III

MW/PCB/2008/0083	Thiovit Jet 80WG	<i>Sulfur 80 g/kg</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide and miticide for the control of powdery mildew, scab, mites on apples, pears, peas, plums, roses, nectarines, peaches, cucurbits, citrus and tomatoes.
MW/PCB/2008/0084	Tilt 250EC	<i>Propiconazole 250g/l</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Fungicide for the control of leaf rust in coffee; smut in sugarcane; leaf and stem rust in wheat and barley and rust in soya beans.
MW/PCB/2008/0085	Touchdown Forte 500SL	<i>Glyphosate 500g/L</i>	Syngenta Crop Prot.	Farmers Organisation & Chemicals and Marketing	Herbicide for post-emergence control of annual and perennial grasses and broadleaf weeds in agricultural, horticultural and non -crop areas.
MW/PCB/2008/0086	Cruiser 350 FC	<i>Thiamethoxam 35%</i>	Syngenta Crop Prot.	Chemicals & Marketing	Insecticide used for seed treatment to control leafhoppers, snout beetles and false wire worms in maize, and aphids in cotton from pre-emergence up to 5-7 weeks.
MW/PCB/2008/0087	Verdadero 2GR	<i>Thiamethoxam 1%+ Cyproconazole 1%</i>	Syngenta Crop Prot.	Chemicals & Marketing	This is a mixture of thiamethoxam insecticide for leafminer control, and cyproconazole, a fungicide for rust control in coffee.
MW/PCB/R/2014/0088	Atrazine 900WDG	<i>Atrazine 900 g/kg (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Selective herbicide for the pre-emergence control of annual grasses and certain broadleaf weeds in maize. WHO CLASS III

MW/PCB/R/2015/0089	MCPA 400 SL	<i>MCPA 400g/L</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the post emergentce control of annual weeds in sorghum, maize, potatoes, sugarcane, lawns and grass pastures.
MW/PCB/2008/0090	Dimethoate 400EC	<i>Dimethoate 400g/l (organophosphate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Insecticide/miticide for the control of aphids, psylla, red scale, fruit fly, bryobia mite, woolly aphid, mealy bug and black moth on various crops. WHO CLASS
MW/PCB/R/2014/0091	Diuron 800EC	<i>Diuron (substituted urea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use. WHO CLASS III
MW/PCB/R/2014/0092	Duiker 180	<i>Glyphosate 180 g/l (organophosphoras)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Non-selective foliar, systemic herbicide for the control of a wide range of annual and perennial grasses, broadleaf weeds and certain woody perennials on agricultural, non-crop and industrial areas. WHO CLASS III

MW/PCB/R/2014/0093	Extreme Plus 750 WP	<i>Metribuzin 643g/l (triazine)+ Chlorimuron-Ethyl 107g/l (sulfonyleurea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw .com	Herbicide for the control of annual and perennial broadleaf weeds and some grasses in sugarcane and soya. WHO CLASS II
MW/PCB/R/2014/0094	Hexazinone 240SC	<i>Hexazinone 240 g/l</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw .com	Herbicide for the selective control of grasses and broadleaf weeds in ratoon sugarcane and for non-selective use in sugarcane verges and breaks.
MW/PCB/2008/0095	Mancozeb 800WP	<i>Mancozeb</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw .com	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/R/2014/0096	Metribuzin 480SC	<i>Metribuzin 480g/L</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw .com	Herbicide for the control of a variety of annual broadleaf weeds and grasses in transplanted tomatoes, potatoes, sugarcane and lucerne.

MW/PCB/R/2014/0097	Paraquat 200SL	<i>Paraquat 200g/L</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of annual grasses and broadleaf weeds in potatoes, vegetables, sugarcane, bananas, tea and coffee.
MW/PCB/R/2014/0098	Springbok 360 EC	<i>Glyphosate 360g/l</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of a wide range of annual and perennial grasses, broadleaf weeds and certain woody perennials. Can also be used to control weeds in maize varieties containing glyphosate resistant gene.
MW/PCB/R/2008/0099	Tebuthiuron 500SC	<i>Tebuthiuron (urea compound)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for use in a tank mix with Ametryne or Diuron for the control of certain grasses and broadleaf weeds in sugarcane. WHO CLASS II
MW/PCB/2014/0100	Atrazine 500SC	<i>Atrazine 500 g/kg (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual broadleaf weeds and grasses in maize, sorghum and sugarcane. WHO CLASS II
MW/PCB/2008/0101	Backstop 330 EC	<i>Pendimethalin 330g/l</i>	Dow AgroScience	Farmers Organisation	Plant Growth Regulator used as a tobacco sucker control agent for sucker growth and development on flue-cured virginia and air-cured burley tobacco

MW/PCB/2008/0102	Pendimethalin 500EC	<i>Pendimethalin 500g/L</i>	Dow AgroScience	Farmers organisation	Herbicide for the control of annual grasses and broadleaf weeds in potatoes, sugarcane, cotton, ground nuts, soya beans, tobacco, sun flowers, kidney and field beans.
MW/PCB/R/2014/0103	Benomyl 500WP	<i>Benomyl 500g/kg (benzimidazole)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Systemic fungicide for the control of black root rot in tobacco seedlings; powdery mildew and botrytis rot in tomatoes; black spot in citrus. WHO CLASS IV
MW/PCB/R/2013/0104	Broadstrike 800 WDG	<i>Flumetsulam</i>	Dow AgroScience		Systemic post-emergence Herbicide for the control of broadleaf in winter cereals, maize, leguminous crops and pasture.
MW/PCB/R/2013/0105	Dursban 480EC	<i>Chlorpyrifos 480g/l</i>	Dow AgroScience		Insecticide for the control of black maize beetle in maize, sorghum and dry beans; stalk borer in maize; cutworm and lesser wire worm in tobacco; cut worm in carrots, potatoes and lettuce; American boll worm and sem-looper.
MW/PCB/2008/0106	Endoflo 475 SC	<i>Endosulfan 475g/l</i>	Dow AgroScience	Farmers Organisation	Insecticide for the control of American bollworm, sem looper, thrips and leaf hoppers in cotton; stink bug in macadamia; stalk borer in maize and sorghum; American bollworm, aphids and thrips in tobacco; American bollworm in tomatoes; aphids and psylla in citrus; antestia stink bug, green vegetable bug, and slug caterpillar in coffee.

MW/PCB/2008/0107	Garlon 480 EC	<i>Triclopyr 480g/l</i>	Dow AgroScience	Farmers Organisation	Herbicide for the control of woody plants and weeds for forestry, grass pasture and industrial areas and sugarcane.
MW/PCB/R/201/0108	Mamba 360SL	<i>Glyphosate 360g/l</i>	Dow AgroScience	Farmers Organisation	Herbicide for post-emergence control of perennial and annual weeds in agriculture as well as in non -crop and industrial areas. It can also be used as a growth regulator to increase sucrose content of sugarcane or reduce growth of weeds.
MW/PCB/2008/0109	Methosan 900SP	<i>Methomyl 900g/kg</i>	Dow AgroScience	Farmers Organisation	Insecticide for the control of American bollworm and potato tuber moth in potatoes; American bollworm in beans, maize, wheat and sorghum; American bollworm, leaf miner, tobacco slug and stink bug in tobacco; American bollworm; looper, leafminer, aphids and thrips in tomatoes.
MW/PCB/2008/0110	MSMA 720 SL	MSMA	Dow AgroScience	Farmers Organisation	Herbicide for post-emergence control of <i>Rottboellia cochinchinensis</i> , annual grasses, nutsedges and certain broadleaf weeds in cotton, lawns and sugarcane; for total weed control in industrial areas.
MW/PCB/2008/0111	Sanvalerate 200 EC	<i>Fenvalerate 200g/l</i>	Dow AgroScience	Farmers Organisation	Insecticide for the control of potato tuber moth in potatoes; American bollworms in sunflower, tomatoes, sorghum, beans and peas; stalkborer in maize; cutworms in all crops.

MW/PCB/2008/0112	Sprint 900EC	<i>Acetochlor 900g/L</i>	Dow AgroScience	Farmers Organisation	Herbicide for the pre- emergence control of annual grasses and broadleaf weeds in crops.
MW/PCB/2008/0113	Tebusan 500 SC	<i>Tebuthiuron 500g/l</i>	Dow AgroScience	Farmers Organisation	Herbicide for use in a tank mix with Ametryne or Diuron for the control of certain grasses and broadleaf weeds in sugarcane.
MW/PCB/2008/0114	Telone II	<i>1.3 Dichloropropene 1110g/l</i>	Dow AgroScience	Farmers Organisation	Soil Fumigant for the control of plant parasitic nematodes in soil.
MW/PCB/2008/0115	Trifluralin 480 EC	<i>Trifluralin 480 g/l</i>	Dow AgroScience	Farmers Organisation	Herbicide for the control of annual grasses and some broadleaf weeds in crops.
MW/PCB/2008/0116	Spintor Dust 0.125%	<i>Spinosad 125g/kg</i>	Dow AgroScience	Farmers Organisation	Insecticide for the control of larger grain borer and other stored product pests in maize, beans, peas, g/nuts, wheat and rice.
MW/PCB/2008/0117	Acetechlor 900EC	<i>Acetechlor 900g/l</i>	Nova Agro	Farmers Organisation	Herbicide for the control of annual grasses and some broadleaf weeds in maize and sugarcane.
MW/PCB/2008/0118	Alpha Cypermethrin 100SC	<i>Alpha Cypermethrin 100g/L</i>	Nova Agro	Farmers organisation	Insecticide for the control of malaria vectors as well as household and public health insect pests like mosquitoes, flies, bedbugs, coachroaches, fleas, fishmoths and ants.
MW/PCB/2008/0119	ACE WP	<i>Acephate 750g/Kg</i>	Plaaskem	Farmers Organisation	Insecticide for the control of American bollworm, leafminer, cutworms and green aphid in tobacco; potato tuber moth and aphid in potatoes; American bollworm and aphids in tomatoes and diamond back moth in cruciferae.

MW/PCB/2008/0120	Erase 360 SL	<i>Glyphosate</i>	Plaaskem	Farmers Organisation	Herbicide for post-emergence control of perennial and annual weeds in agriculture and industrial areas.
MW/PCB/2008/0121	Foliwett 900 EC	<i>An Alkylated Phenyl-ethylene Oxide Condensate 940g/l</i>	Plaaskem	Farmers Organisation	Adjuvant for use to improve the wetting and spreading properties on plant foliage and to increase fungicidal, insecticidal and herbicidal efficiency. May be used with hard and soft water.
MW/PCB/2008/0122	Herbifume SL	<i>Metham Sodium (BSI) 510g/l</i>	Nulandis	Farmers Organisation	Fumigant Herbicide/Fungicide/Nematicide for the control of certain soil fungi, nematodes and germinating weed seeds in agricultural and horticultural soils, seedbeds and planting media.
MW/PCB/2008/0123	Basamid GR	<i>Dazomet 980 g/kg</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Soil fumigant for pre- plant control of soil based pests, parasitic nematodes, disease pathogens and germinating weed seeds.
MW/PCB/2008/0124	Classic DG	<i>Chlorimuron-Ethyl 250 g/kg</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Herbicide for post-emergence control of existing broadleaf weeds in soybeans.
MW/PCB/2008/0125	EDB MO EC	<i>Ethylene Dibromide 1800g/l</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Fumigant/Nematicide for the control of nematodes while the field is free of crops.
MW/PCB/2008/0126	Vydate SL	<i>Oxamyl 310 g/l</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Nematicide/insecticide for the protection of groundnuts against pod nematode, potatoes, pineapples, sugarcane, tobacco and tomatoes against root knot nematodes and suppression of aphids on potatoes.

MW/PCB/2008/0127	Chlorothalonil 500SC	<i>Chlorothalonil 500g/L</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Fungicide against early and late blight in tomatoes and potatoes; rust in beans; leafspot in ground nuts and tomatoes; downy mildew and anthracnose on cucurbits.
MW/PCB/2008/0128	Coprox WP	<i>Copper Oxychloride 850g/Kg</i>	Nulandis	Farmers Organisation	Fungicide for the control of fungal diseases in beans, coffee, tobacco, tomatoes, potatoes and pepper.
MW/PCB/2008/0129	Counter FC 15G	<i>Terbufos</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Insecticide/Nematicide for the control of black maize beetle in maize, groundnuts, beans, sorghum, potatoes and sunflower; nematodes, false wireworms, rootworms, <i>Astylus Beetle</i> larva, and wireworms.
MW/PCB/R/2014/0130	Accotab EC	<i>Pendimethalin 330 g/l</i>	Cropserve (Malawi) Ltd	Cropserve	Growth Regulator for the control of sucker growth in flue-cured and air-dried tobacco.
MW/PCB/2008/0131	Basagran SC	<i>Bendioxide 480 g/l</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Herbicide for the control of certain broadleaf weeds and yellow nutsedge in beans, groundnuts, soybeans, peas, maize, grain sorghum, and potatoes.
MW/PCB/2008/0132	Metam-Sodium 510 SL	<i>Metam-Sodium 510 g/l</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Soil fumigant for the control of certain soil fungi, nematodes and germinating weed seeds in seed beds, horticultural and agricultural soils.
MW/PCB/2008/0133	Velpar 75DF	<i>Hexazinone 750 g/kg</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Herbicide for selective control of grasses and broadleaf weeds in ratoon sugarcane fields and for non-selective use in sugarcane verges and breaks; Also used in pine plantations for selective control of various weeds.

MW/PCB/2008/0134	Avi-Klorpirifos EC	<i>Chlorpyrifos</i>	Avima	Chemplus Limited	Insecticide for use on cotton, horticultural crops and for armyworm control.
MW/PCB/R/2013/0135	Harness EC	<i>Acetochlor 900g/l</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Herbicide for pre-emergence control of grass and certain broadleaf weeds in maize, groundnuts, sugarcane, cotton, Eucalyptus and pine plantations and post-emergence weed control in plant and ratoon sugarcane and grain sorghum.
MW/PCB/R/2013/0136	Harness Extra EC	<i>Acetochlor 960g/l</i>	Monsanto South Africa	Monsanto Malawi & Farmers Organisation	Herbicide for post-emergence control of weeds in plant and ratoon sugarcane and industrial areas.
MW/PCB/R/2013/0137	Lasso EC	<i>Alachlor 384 g/l</i>	Monsanto South Africa	Monsanto Malawi & Farmers Organisation	Herbicide for pre-emergence control of most annual grasses and certain broadleaf weeds in maize, groundnuts, soyabeans, sunflower, potatoes, pineapples, sugarcane, cabbage and sorghum.
MW/PCB/R/2013/0138	Round-Up	<i>Glyphosate</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Herbicide for post-emergence control of perennial and annual weeds in agricultural, non-crop and industrial areas. It can also be used as a growth regulator to increase sucrose content of sugarcane or reduce growth of weeds.
MW/PCB/R/2013/0139	Lasso MT Capsule	<i>Alachlor 480g/l+ Atrazine + Terbutylazine</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Herbicide for pre-emergence control of most annual grasses and certain broadleaf weeds in maize, groundnuts, soyabeans, sunflower, sorghum, potatoes, sugarcane and transplanted cabbage.

MW/PCB/R/2013/0140	Bullet 700 SC	<i>Acetochlor 700 g/l</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Herbicide for pre- and early post emergence control of annual weeds in maize.
MW/PCB/R/2013/0141	Round-Up Max	<i>Glyphosate</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/R/2013/0142	Round-Up Turbo EC	<i>Glyphosate 450 g/l</i>	Monsanto South Africa	Monsanto Malawi and Farmers Organisation	Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2013/0143	Yamaotea Super EC	<i>Flumetralin 125g/l + Butralin180g/L</i>	Bytrade Tanzania	Chemicals & Marketing	Plant growth regulator used as a tobacco desuckeride.
MW/PCB/2008/0144	Tabamex Plus	<i>Butralin C403</i>	Nufarm SA	Farmers Organisation	Plant growth regulator as a sucker control agent in tobacco.
MW/PCB/2008/0145	Marshal Suscon GR	<i>Carbosulfan100g/kg</i>	Nufarm SA	Farmers Organisation	Insecticide for the control of termites in forestry for up to 2 years.
MW/PCB/R/2013/0146	Degesch Plates	<i>Magnesium Phosphide 607g/l</i>	Degesch Ltd	Antipest (Pvt) Ltd	Insecticide for the control of commonly occurring insect pests in packed stored cereals, oilseeds, processed foods and other produce. Can also be used for control of insect pests in grain mills, warehouses and other storage premises which can be properly sealed.
MW/PCB/R/2013/0147	Degesch Phostoxin TB	<i>Aluminium Phosphide 56%</i>	Degesch Ltd	Antipest (Pvt) Ltd	Fumigant Insecticide for the control of commonly occurring insect pests in stored maize, sorghum and other cereals as well as seed in storage.

MW/PCB/R/2013/0148	Phostoxin Pellets	<i>Aluminium Phosphide 560g/Kg</i>	Degesch Ltd	Antipest (Pvt) Ltd	Fumigant Insecticide for the control of commonly occurring insect pests in stored cereals and other products and also in packed commodities and processed foods. Can also be used in Grain Mills, warehouses and other storage premises.
MW/PCB/R/2013/0149	Tebakskerm UL	<i>Permethrin 5g/l</i>	Degesch Ltd	Antipest (Pvt) Ltd	Insecticide for use in ULV applicators for the control of tobacco beetle and tobacco moths in tobacco warehouses and stored product pests found in warehouses and food processing plants
MW/PCB/2008/0150	Copper Count-n	<i>Copper Ammonium Acetate 316g/l</i>	Fort Dodge Animal Health	Farmers Organisation	Fungicide for the control of early blight in potatoes and tomatoes; bacterial blight in beans; Downy mildew in cabbage.
MW/PCB/2008/0151	Barricade/Curatik EC	<i>Cypermethrin 15%</i>	Fort Dodge Animal Health	Farmers Organisation	Acaricide for the control of ticks, screw worm infestations and flies in cattle by spraying and dipping.
MW/PCB/2008/0152	Supona 30 Cattle Dip EC	<i>Chlorfenvinphos 30%</i>	Fort Dodge Animal Health	Farmers Organisation	Insecticide for the control of ticks in cattle and kills lice; controls ticks in sheep and goats; protects against blowfly strike.
MW/PCB/2008/0153	Supona Aerosal	<i>Chlorfenvinphos 0.48%+ Dichlorvos 0.74%+Gentian Violet 0.145%</i>	Fort Dodge Animal Health	Farmers Organisation	Insecticide for the control of ticks by spot treatment; kills maggots in wounds; use in cuts, abrasions after dehorning, branding, shearing, tail docking and castrations to prevent infections and maggot infections in cattle, horses, sheep, goats and dogs.

MW/PCB/2008/0154	Renegade 50 Spray SC	<i>Alpha Cypermethrin 50g/l</i>	Fort Dodge Animal Health	Farmers Organisation	Insecticide/Acaricide for the control of ticks and face flies; protects against stable, horn and tsetse flies; it also kills lice and suppresses the incidence of Trypanosomiasis in livestock.
MW/PCB/2008/0155	Crop Guard	<i>Furfural</i>	Illovo Sugar	Illovo Sugar	Adjuvant used to help herbicides penetrate the leaf structure.
MW/PCB/2008/0156	Cypermethrin 20EC	<i>Cypermethrin 20%</i>	Kenchem Trading	Chemicals & Marketing	Insecticide for the control of heliothis bollworm, spiny bollworm, stainers, jassids, whitefly and leafeating caterpillars on cotton; cutworms on tobacco and heliothis on tomatoes.
MW/PCB/2008/0157	Chlorothalonil 75WP	<i>Chlorothalonil 25%</i>	Kenchem Trading	Chemicals & Marketing	Fungicide for the control of Anthracnose, Gray mould and rust on beans; coffee berry disease; early and late blight on potatoes and groundnuts; cercospora, phoma and botrytis rot on groundnuts.
MW/PCB/2008/0158	Deltamethrin 2.5EC	<i>Deltamethrin</i>	Kenchem Trading		Insecticide for the control of a wide range of pests for various crops.
MW/PCB/2008/0159	Gallant Super EC	<i>Haloxypop-R Methyl Ester 108g/l</i>	Dow Agro Sciences		Herbicide for the control of annual and perennial grasses in broadleaf crops e.g. soyabeans, dry beans and sugarcane; it is also used as a sugarcane ripener.
MW/PCB/2008/0159	Total Insecticide Aerosal	<i>D-Tetramethrin 0.12%+ Prallethrine 0.035%</i>	Total Malawi	Total Malawi	Insecticide for the control of flying insects like mosquitoes, moths and flies; crawling insects like cockroaches, ants, fleas and bedbugs.

MW/PCB/2008/0160	Suncop	<i>Copper Oxychloride</i>	Sunwood Chemicals		Fungicide for the control of early and late blight in vegetables and potatoes; dumping off, root rots, and stem rots in tobacco seedlings and vegetable seedlings.
MW/PCB/2008/0161	Antak	<i>N-Decanol</i>	Sunwood Chemicals		Plant growth regulator used to control tobacco suckers.
MW/PCB/2008/0162	Termidor 25EC	<i>Fipronil</i>	BASF	Farmers Organisation	Insecticide for the control of termites.
MW/PCB/2008/0163	Benomyl 500WP	<i>Benomyl 500g/kg</i>	Nova Agro	Farmers Organisation	Fungicide for the control of black root rot in pineapples, sugarcane and tobacco seedlings; powdery mildew and botrytis rot in tomatoes; black spot in citrus.
MW/PCB/2008/0164	Lamba 50EC	<i>Lambda-cyhalothrin</i>	Afgri Crop (pty) Ltd.		Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/2008/0165	Agro-Prid 200SL	<i>Acetamiprid</i>	Afgri Crop (pty) Ltd.		Insecticide for the control of caterpillars and bollworms in cotton .
MW/PCB/2008/0166	Stocal Super Dust	<i>Pirimiphos-Methyl + Permethrin</i>	United Phosphorus		Insecticide for the control of stored maize and small grain cereals pests, including control of Larger Grain Borer.
MW/PCB/R/2015/0167	Cyrux EC	<i>Cypermethrin 20%</i>	United Phosphorus	Agricultural Trading Co.	Insecticide for the control of bollworms in cotton, diamond back moth in cabbage; fruitborer in okra; shootfly in wheat; early shootborer in sugarcane.

MW/PCB/R/2015/0168	Nugor 40EC	<i>Dimethoate 400g/l</i>	United Phosphorus	Agricultural Trading Co.	Insecticide for the control of stemborers, milky weed bug in cereals; aphids, jassids, thrips, weevils in cotton; leaf miner in groundnuts; aphids, leafhoppers, jassids, mites, bugs and stemborers in vegetables.
MW/PCB/2008/0169	Thiokill 35EC	<i>Endosulfan 35%</i>	United Phosphorus	Agricultural Trading Co.	Insecticide for the control of aphids, jassids, thrips, whiteflies, leaf rollers in cotton; aphids, stemborers and pinkborers in maize; aphids in vegetables; white jassids and stem borers in paddy.
MW/PCB/R/2015/0170	Fenkill 20 EC	<i>Fenvalerate 200g/l</i>	United Phosphorus	Cropserve Malawi Ltd & United Phosphorus	Insecticide for the control of bollworms, diamond back moth, fruit borer, soya bean looper and bud worms in cotton, cauliflower, eggplant, peas, soyabean and tobacco.
MW/PCB/R/2015/0171	Kang-Fu (Vajra)	<i>Lambda-cyhalothrin</i>	United Phosphorus	Agricultural Trading Co.	Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/R/2015/0172	Uniquat SL	<i>Paraquat Dichloride 200g/L</i>	United Phosphorus	Agricultural Trading Co.	Herbicide for the control of weeds in fruit orchards, cotton and other field crops; total weed control along road, industrial sites and rail sides.
MW/PCB/2008/0173	Phoskill SC	<i>Monocrotophos 400 g/l</i>	United Phosphorus	Agricultural Trading Co.	Insecticide for the control of bollworms, spidermites, jassids, stainers, aphids, thrips and whiteflies in cotton; stalkborer in maize; stinkbug caterpillars, aphids, mites and tuber moth in potatoes; bollworms, leafminer and red spider in tomatoes.

MW/PCB/2008/0174	Odomos	<i>N,N - Diethyl Benzamide</i>	Nabur India	Rab Processors	Mosquito repellent cream.
MW/PCB/R/2015/0175	Uthane 80 WP	<i>Mancozeb 800g/Kg</i>	United Phosphorous	Agricultural Trading Co.	Fungicide for the control of early and late blight on tomatoes and potatoes; blight in wheat; blast in rice; late blight in onions; leafrust and tikka in groundnuts; fruit rot in chillis.
MW/PCB/2008/0176	Alumium Phosphide Pellets	<i>Alumium Phosphide 560g/kg</i>	Nova Agro Ltd.	Farmers Organisation	Fumigant/ Insecticide for the control of stored product pests in maize, wheat, sorghum, groundnuts, soyabeans, sunflower seed, and tobacco.
MW/PCB/2008/0177	Ethephon 480SL	<i>Ethephon</i>	Nova Agro		Plant growth regulator for use on sugarcane to increase sucrose content, colouring of fruit in pine apples, in wheat to reduce incidences of lodging and it also induces flowering in cayennes and queens.
MW/PCB/2008/0178	Novathrin 50EC	<i>Lambda-cyhalothrin</i>	Nova Agro		Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/2008/0179	Iprodione 255SC	<i>Iprodione 255g/l</i>	Nova Agro	Farmers Organisation	Fungicide for the control of Botrytis in tomatoes and onions; early blight in tomatoes; leafspot of ginger and purple blotch of onions.
MW/PCB/R/2015/0180	Fipronil 200SC	<i>Fipronil 200g/L</i>	Nova Agro Ltd	Farmers Organisation	Insecticide for the control of termites in agriculture forestry for up to 2 years.
MW/PCB/2008/0181	Novacrotofos TM 400SL	<i>Monocrotophos 400 g/L</i>	Nova Agro	Farmers Organisation	Insecticide for the control of red spider mites, stainers, aphids, red and spiny bollworms in cotton; stalkborer in maize

MW/PCB/2008/0182	Novacord 200EC	<i>Cypermethrin 200g/L</i>	Nova Agro	Farmers Organisation	Insecticide for the control of American bollworm, red bollworm and spiny bollworm.
MW/PCB/2008/0183	Methamidophos 600SL	<i>Methamidophos 600 g/l</i>	Nova Agro	Farmers Organisation	Insecticide for the control of aphids and American bollworm in tobacco; American bollworm, semilooper and leafminer in tomatoes; aphids and potato tuber moth in potatoes.
MW/PCB/2008/0184	Mancozeb 800WP	<i>Mancozeb 800g/kh(</i>	Nova Agro	Farmers Organisation	Fungicide to control early and late blight on tomatoes and potatoes; cercospora leafspot in ground nuts; downy mildew in peas and onions; anthracnose and rust in beans.
MW/PCB/2008/0185	Propamacarb HCI 722 SL	<i>Propamacarb-HCI 722g/l</i>	Nova Agro	Farmers Organisation	Fungicide for the control of various soil borne and other diseases on a variety of crops.
MW/PCB/2008/0186	Novaclor 960EC	<i>Metolachlor 960g/l</i>	Nova Agro	Farmers Organisation	Herbicide for use in sugarcane, tobacco, soya and g/nuts.
MW/PCB/2008/0187	Oxamyl 310SL	<i>Oxamyl 310g/l</i>	Nova Agro	Farmers Organisation	Insecticide/Acaricide/Nematicide for the protection of groundnuts against groundnut pod nematode, nematode of potatoes, pineapples, sugarcane, tobacco and against root knot nematodes and suppression of aphids on potatoes.
MW/PCB/R/2015/0188	Novatellc Super 500EC	<i>Pirimiphos-Methyl 400g/L+ Permethrin100g/L</i>	Nova Agro Ltd.	Farmers Organisation	Insecticide for the control of insect pests in stored grain (maize, wheat and sorghum) and g/nuts.
MW/PCB/2008/0189	Novaquat 200SL	<i>Paraquat ion 200g/l</i>	Nova Agro	Farmers Organisation	Herbicide for the control of annual grasses and annual broadleaf weeds in crops and as a sugarcane desiccant.

MW/PCB/2008/0190	Novatomp 500EC	<i>Pendimethalin</i>	Nova Agro	Farmers Organisation	Herbicide for pre-emergence control of annual grasses and some broadleaf weeds in cotton, g/nuts, beans, soyabeans, potatoes and tobacco.
MW/PCB/2008/0191	Novatop 330EC	<i>Pendimethalin 330g/l</i>	Nova Agro	Farmers Organisation	Plant Growth Regulator used for the control of sucker growth in flue-cured and air-dried tobacco.
MW/PCB/2008/0192	Seedmate CT 470FS	<i>Carboxin 60g/l, TMTD 60g/l, Imidacloprid 350g/l</i>	Bioscience Rescard	Farmers Organisation	Insecticide/Fungicide applied as a seed treatment to control aphids, whiteflies, thrips and leaf hoppers and seedling disease complex in cotton; controls elegant grasshoppers.
MW/PCB/2008/0193	Novadan 250EC	<i>Triadimenol 250g/l</i>	Nova Agro	Farmers Organisation	Fungicide for the control of powdery mildew on mangoes and peas as well as rust on coffee.
MW/PCB/2008/0194	Falcon Super DP	<i>Pririmiphos-methyl 1.6% + Permethrin 0.3%</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of sucking insects, boring insects and mites on cereal crops; aphids, mealy bugs, thrips, mites and white fly on tomatoes.
MW/PCB/2008/0195	Falcon Super Plus DP	<i>Pririmiphos-methyl 1.6% + Permethrin 0.4%</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of sucking insects, boring insects and mites on cereal crops; aphids, mealy bugs, thrips, mites and white fly on tomatoes.
MW/PCB/2008/0196	Ace - 75 SP	<i>Acephate 750g/Kg</i>	Falcon Int.	Export Trading Co. Limited	Insecticide for the control of jassids and bollworms on cotton; diamond back moth and caterpillar in cruciferae.
MW/PCB/2008/0197	Ratil	<i>Zinc Phosphide</i>	Falcon Int.	Export Trading Co. Ltd	Rodenticide.

MW/PCB/2008/0198	Super - 10EC	<i>Cypermethrin10%</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of Lepidoptera, Coleoptera, Diptera, Hemiptera insects in citrus, potatoes, tomatoes, vegetables, cereals, maize, soya beans, cotton, coffee etc; control of flies and other insects in animal houses: mosquitoes, cockroaches, house flies and other insect pests in public health; also used as an ectoparasiticide.
MW/PCB/2008/0199	Fighter 20 EC	<i>Fenvalerate 200g/l</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of bollworms, diamond back moth, fruit borer, soya bean looper and bud worms in cotton, cauli flower, eggplant, peas, soyabean and tobacco.
MW/PCB/2008/0200	Best	<i>Chlorphyriphos</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide used on cotton, horticultural crops for armyworm control.
MW/PCB/2008/0201	Arrow	<i>Alphacypermethrin</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of thrips, aphids and leaf miner on french beans; thrips aphids and whiteflies on Roses.
MW/PCB/2008/0202	Mascot WP	<i>Mancozeb 64% + Metaxyl 8%</i>	Falcon Int.	Export Trading Co. Ltd	Fungicide for the control of dumping off and leafblight diseases in tobacco nursery; downy mildew in grapes.
MW/PCB/2008/0203	Falfume Tablet	<i>Aluminium Phosphide 57%</i>	Falcon Int.	Export Trading Co. Ltd	Fumigant Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc

MW/PCB/2008/0204	Enticer EC	<i>Endosulfan 350g/l</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide to control aphids, jassids and thrips in cotton; aphid, stem borer and pink borer in maize.
MW/PCB/2008/0205	Falquat 20% SL	<i>Paraquat 20%</i>	Falcon Int.	Export Trading Co. Ltd	Herbicide that attacks and kills all the green parts of plants with which it comes into contact.
MW/PCB/2008/0206	Falmida 20 SL	<i>Imidacloprid 20%</i>	Falcon Int.	Export Trading Co. Ltd	Insecticide for the control of aphids, jassids, thrips and whitefly in cotton and chillis.
MW/PCB/2008/0207	Falsate 41% SL	<i>Glyphosate 41%</i>	Falcon Int.	Export Trading Co. Ltd	Herbicide for post-emergence control of most annual and perennial grasses and broadleaf weeds.
MW/PCB/R/2014/0208	LambdaCyhalothrin 50 EC	<i>Lambda-cyhothrin (pyrethroid)50 g/l</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Contact and stomach insecticide for the control of cutworms in all crops; Banded fruit weevil and coding moth in apples and pear; Afican bollworm in apples, pears, nectarines, plums and apricots; African bollworms, red bollworms and spiny bollworms in cotton, groundnuts, beans, maize; and stem borer in maize. WHO CLASS III
MW/PCB/R/2014/0209	Agro-Prid 200 SL	<i>Acetamiprid 200g/l</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Insecticide for the control of sucking insects in cotton.

MW/PCB/2008/0210	Tsunami Cislin	<i>Deltamethrin</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/R/2015/0211	Tanzanite 900 EC	<i>Acetochlor 900 g/l (chloroacetanilide)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for pre-emergence control of most annual grasses and certain broadleaf weeds in maize, sugarcane, cotton, groundnuts pine and eucalyptus plantations. WHO CLASS III
MW/PCB/R/2015/0212	Kemprin 200 EC	<i>Cypermethrin 200 g/l (prethroid)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Insecticide acting as a direct contact and stomach insecticide for the control of various pests on crops. WHO CLASS II
MW/PCB/R/2015/0213	Safier 750 EC	<i>Acetochlor 750 g/l (chloroacetanilide)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for pre-emergence control of annual grasses and certain broadleaf weeds in maize, potatoes, sugarcane, dry beans, soya beans, groundnuts and eucalyptus. WHO CLASS III

MW/PCB/R/2015/0214	Agromate 720SL	MSMA 720 g/l (organoarsenic)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for pre-emergence control of Rottboellia exaltata, annual grasses, nutsedges and certain broadleaf weeds in cotton, lawns and sugarcane as well as for total weed control in industrial areas. WHO CLASS II
MW/PCB/R/2015/0215	Venone SL	Hexazinone 240 g/l (triazinone)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for selective control of grasses and broadleaf weeds in ratoon sugarcane fields and for non-selective use in sugarcane verges and breaks. WHO CLASS II
MW/PCB/R/2015/0216	Tribel 480 EC	Triclopyr 480 g/l (pyridyloxy compound)(as butoxyl ethyl ester)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Systemic herbicide for the control of woody plants and weeds for forestry, grass pasture and industrial areas. WHO CLASS II
MW/PCB/2008/0217	Alachlor 384 EC	Alachlor 384 g/l (chloroacetaninide)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Pre-emergence herbicide for the control of most annual grasses and certain broadleaf weeds in maize, sweetcorn, groundnuts, soybeans, sunflower, transplanted cabbage, broccoli, potatoes, sugarcane and pineapples. WHO CLASS II

MW/PCB/R/2015/0218	Metriphar 480 SC	<i>Metribuzin 480 g/l (triazinone)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of a variety of annual broadleaf weeds and grasses in transplanted tomatoes, potatoes, sugarcane and lucerne. WHO CLASS III
MW/PCB/2008/0219	Tsunami Bitrad Suoy	<i>Chlorimuron-EthylPlus 750 WP</i>	Afgri, Tsunami	Farmers Organisation	Herbicide for application as a pre-emergence and early post-emergence herbicide for the control of annual and perennial broadleaf weeds and some grasses.
MW/PCB/R/2015/0220	Armadillo SC	<i>Atrazine 291 g/l (triazine)+ Sulcotrion 125 g/l (triketone)+Other Triazines 9 g/l</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for pre- and post- emergence control of broadleaf weeds and certain grasses in maize, sweet corn and sugarcane. WHO CLASS II
MW/PCB/2008/0221	Tsunami Bastion™ 500SC	<i>Ametryn</i>	Afgri, Tsunami	Farmers Organisation	Herbicide for pre- and post-emergence control of annual broadleaf weeds and grasses in sugarcane, bananas and pineapples
MW/PCB/R/2015/0222	Crater MX 700 WP	<i>Metalaxyl 100 g/kg (phenylamide)+ Mancozeb 600 g/kg (dithiocarbamate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Contact and systemic fungicide for the control of late blight in potatoes and tomatoes; root and base rot in pineapples; downy mildew in grapes. WHO CLASS III

MW/PCB/2008/0223	Tsunami Diuron 800 Sc	<i>Diuron</i>	Afgri, Tsunami	Farmers Organisation	Herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use
MW/PCB/R/2014/0224	Glyphosate 360 SL	<i>Glyphosate 360 g/l (organophosphate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Non-selective foliar, systemic herbicide for the control of a wide range of annual and perennial grasses, broadleaf weeds and certain woody perennials. Can also be used to control weeds in maize varieties containing the glyphosate resistant gene. WHO CLASS III
MW/PCB/R/2015/0225	Deltamethrin 250 EC	<i>Deltamethrin 25 g/l (pyrethroid)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Stomach and contact insecticide for the control of American, Red and spiny bollworm as well as stainers in cotton; cutworms in all crops; Diamond -back moth in crucifers and American bollworm in grain sorghum, groundnuts, beans, peas, maize, tomatoes and wheat . WHO CLASS II
MW/PCB/R/2015/0226	Sunprid 350 SC	<i>Imidacloprid 350 g/l (neonicotinoid)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Systemic insecticide for the control of aphids, red scale, thrip, leaf miner and psylla on citrus trees; aphids on potatoes, cucurbits, tobacco and roses; tobacco slug on tobacco and whitefly on tomatoes. WHO CLASS II

MW/PCB/R/2015/0227	Diamant 700 SC	<i>Acetochlor 700 g/l</i> (<i>Chloroacetanilide</i>)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the pre-emergence control of annual grasses and certain broadleaf weeds in maize, sweet corn, potatoes, sugar cane and groundnuts. WHO CLASS III
MW/PCB/R/2015/0228	Tsunami Pendimethalin 500 EC	<i>Pendimethalin 500 g/l</i> (<i>dinitroaniline</i>)	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre-emergence control of annual grasses and certain broadleaf weeds in cotton, sunflower, tobacco, potatoes, sugarcane, dry beans, soya beans, kidney beans and groundnuts . WHO CLASS III.
MW/PCB/R/2015/0229	Ethephon 480SL	<i>Ethephon 480g/l (ethylene generator)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Plant growth regulator for use on sugarcane to increase sucrose content; colouring of fruit in pine apples and citrus. WHO CLASS IV
MW/PCB/R/2015/0230	Chlorimuron-Ethyl Plus 750 WP	<i>Metribuzin 643g/kg (triazine) + Chlorimuron-Ethyl 107g/kg (sulfonyleurea)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for application as a pre-emergence and early post-emergence for the control of annual and perennial broadleaf weeds and some grasses. WHO CLASS II
MW/PCB/R/2015/0231	Trifluralin 480 EC	<i>Trifluralin 480 g/l</i> (<i>dinitroaniline</i>)	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective herbicide for pre-plant soil incorporation for the control of annual grasses and some broadleaf weeds in groundnuts, cotton, dry beans, cowpeas, carrots, sunflower, transplanted cabbages, tomatoes, chillies, macadamia, guavas and citrus. WHO CLASS III

MW/PCB/R/2015/0232	Hexazinone 240 SL	<i>Hexazinone 240 g/l (triazine)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the selective control of grasses and broadleaf weeds in ratoon sugarcane and for non-selective use in sugarcane verges and breaks. WHO CLASS II
MW/PCB/R/2015/0233	Diuron 800 SC	<i>Diuron 800g/l (phenylurea)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Systemic herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use. WHO CLASS III
MW/PCB/R/2015/0234	MCPA 400 SL	<i>MCPA 400g/L (potassium salt)(phenoxyacetic acid)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective herbicide for the control of mainly broadleaf weeds and certain grasses in maize, potatoes, sugarcane and wheat. WHO CLASS II
MW/PCB/R/2015/0235	Chlorimuron-ethyl 500 WG	<i>Chlorimuron-Ethyl 500 g/kg (sulfonyl urea)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide used for post-emergence control of certain broadleaf weeds in sugarcane and soya beans. WHO CLASS III
MW/PCB/R/2015/0236	Fluazifop-p-Butyl 125 EC	<i>Fluazifop-P-Butyl 125g/L (aryloxyphenoxypropionate)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide that is applied as a post- emergent spray for the control of annual and perennial grasses in crops; for the chemical ripening and eradication of sugarcane and also for the suppression of seedlings and grass growth on verges. WHO CLASS III
MW/PCB/R/2015/0237	Triclopyr 480 EC	<i>Triclopyr 480 g/l (pyridyloxy compound)(as butoxyl ethyl ester)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective systemic herbicide for the control of woody plants and weeds for forestry, grass pasture and industrial areas. WHO CLASS II

MW/PCB/R/2015/0238	Ametryn 500 SC	<i>Ametryn 500g/L (triazine)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre- and post- emergence control of broadleaf weeds and grasses in sugarcane, bananas and pineapples. WHO CLASS II
MW/PCB/R/2015/0239	Glyphosate 360 SL	<i>Glyphosate 360g/l (organophosphorus)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Broad- spectrum systemic herbicide for post-emergence control of a wide range of perennial and annual grasses, broadleaf weeds and certain woody perennials. WHO CLASS III
MW/PCB/R/2015/0240	MSMA 720 SL	<i>MSMA 720 g/l (organic arsenical)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective systemic herbicide for post- emergence control of <i>Rottboellia cochinchinensis</i> , a nual grasses, nutsedges and certain broadleaf weeds in cotton, lawns and sugarcane and for total weed control in industrial areas. WHO CLASS II
MW/PCB/R/2015/0241	Leili Prosynergist 660 SL	<i>Fatty Alcohol-Polyxyethylene Ether 31%(surfactant)+ Rapid Penetrant T(penetrating Agent) 29%</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Adjuvant, with wetting, sticking and penetrant properties for improving the spreading and adhesion of pesticide sprays. WHO CLASS IV
MW/PCB/2008/0242	Acetochlor 900 EC	<i>Acetochlor</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual grasses and some broadleaf weeds in maize and sugarcane.
MW/PCB/2008/0243	Paraquat 200 SL	<i>Paraquat 200 g/l</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual grasses and broadleaf weeds in potatoes, vegetables, sugarcane, bananas, tea, coffee, citrus, avocados, papayas, pelicans, vineyards and lucerne.

MW/PCB/R/2015/0244	Atrazine 500 SC	<i>Atrazine 500g/L (triazine)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual broadleaf weeds and certain grasses in maize, grain-sorghum and sugarcane. WHO CLASS II
MW/PCB/R/2015/0245	Halosulfuron 750 WG	<i>Halosulfuron 750 g/kg (sulfonyleurea)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for selective post-emergence control of nutsedge and certain broadleaf weeds in sugarcane. WHO CLASS III
MW/PCB/2008/0246	Ethyle Dibromide Tech (EDM TECH) SL	<i>Ethylene Dibromide 2170g/l</i>	Nova Agro	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Fungicide used as a soil fumigant for the control of rootknot nematodes.
MW/PCB/2008/0247	Thionedan 350 EC	<i>Endosulfan 350g/l</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide to control aphids, jassids and thrips in cotton; aphid, stem borer and pink borer in maize.
MW/PCB/2008/0248	Decis Forte 100 SL	<i>Deltamethrin</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2008/0249	Monceren 250 SC	<i>Pencycuron 250 g/l</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Fungicide for the control of stem canker and black scurf on potatoes.
MW/PCB/2008/0250	Dedevap 1000 EC	<i>Dichlorvos</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of bollworms in cotton; semi loopers in groundnuts; semi loppers and borers in tomato; pyrilla in sugarcane; semi loopers, borers and diamond back moth in vegetables; household pests i.e. coachroaches, snails and weevils

MW/PCB/R/2013/0251	Dithane M45 WP	<i>Mancozeb 800g/Kg</i>	Dow Agrosience	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Fungicide / Acaricide for the control of early and late blight in potatoes and tomatoes; cercospora and phyllosticta leaf spot in ground nuts; anthracnose and rust in beans; downy mildew in onions and peas.
MW/PCB/2008/0252	Mebron EDB-TEK SL	<i>Ethylene Dibromide 2170g/l</i>	Mebron Chemicals (Pty) Ltd	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Soil Fumigant used for the control of nematodes while the field is free of crops.
MW/PCB/R/2013/0253	Dursban 750 WG	<i>Chlorpyrifos 750g/kg</i>	Dow Agrosience	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of stalkborer, black maize beetle, sorghum, and dry beans; cutworm and lesser wireworm in tobacco; American bollworm and semi looper in tomatoes; Russian wheat aphid and green & blown aphids in wheat.
MW/PCB/2008/0254	BASF Metatox ^R 400 SL	<i>Dodemorph 400g/l</i>	Cropserve (Malawi) Ltd	Cropserve (Malawi) Ltd	Fungicide for the control of powdery mildew on roses.
MW/PCB/2008/0255	Metam-Sodium 510 SL	<i>Metham-Sodium 510 g/l</i>	Universal		Soil fumigant for the control of certain soil fungi, nematodes and germinating weed seeds in seed beds, horticultural and agricultural soils.
MW/PCB/2008/0256	Villa Commodobuff 660 SL	<i>Acetic acid + Ammonia 660g/l</i>	Villa Crop Protection	Cropserve (Malawi) Ltd	Buffering agent for the correction of water PH in alkaline or very acid spray mixtures of pesticides.
MW/PCB/2008/0257	Du Pont Punch (R) C 250 EC	<i>Fluzilazole 250g/l+ carbendazim 125g/l</i>	Du Pont (UK)	Cropserve (Malawi) Ltd	Fungicide for the control of early blight in potatoes; rust, angular leaf spot and ascochyta leafspot in dry beans; leaf spot, rust, leaf blotch and botrytis in groundnuts; rust and ascochyta leaf spot in beans.

MW/PCB/2008/0258	Pali-Tab (Deltamethrin 25% TB)	<i>Deltamethrin</i>	Volcano		Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/R/2015/0259	Vydate ® 10G Granules	<i>Oxamyl 100g/kg</i>	Dupont	Farmers Organisation	Insecticide/Nematicide for the protection of potatoes, tobacco, tomatoes, bananas and sugarcane against plant parasitic nematode species and the reduction of aphids in potatoes.
MW/PCB/R/2015/0260	Funguran-OH 50 WP	<i>Copper Hydroxide 50%</i>	Spiess – Urania	Farmers Organisation	Fungicide/Bactericide for the control of bacterial blight in beans; coffee berry disease and coffee leaf rust; wildfire angular leafspot on tobacco seedbeds; blight on potatoes; blight and bacterial leaf spot in tomatoes.
MW/PCB/2008/0261	Pyros 480 EC	<i>Chlorpyrifos 48%</i>	Tagros Chemicals Ltd.	Africa Fertilizer Company	Insecticide used for the control of hispa, leaf roller, stem borer, aphid, bollworm, shoot and fruit borer, diamond back moth, root grub and black citrus.
MW/PCB/2008/0262	Cypros 200 EC	<i>Cypermethrin</i>	Tagros Chemicals Ltd.	Africa Fertilizer Company	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2008/0263	Rider 50 EC	<i>Lambda-Cyhalothrin</i>	Tagros Chemicals Ltd.	Africa Fertilizer Company	Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/2008/0264	Trump 60 SC	<i>Alphacypermethrin</i>	Tagros Chemicals Ltd.	Africa Fertilizer Company	Insecticide/Acaricide for the control of ticks, tsetse flies, flies and midges on cattle, sheep, goats, e.t.c. Also used in Public Health to control mosquitoes, flies, bedbugs, coachroaches, fleas and ants.

MW/PCB/2008/0265	Delros 25 SC	<i>Deltamethrin</i>	Tagros Chemicals Ltd.	Africa Fertilizer Company	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/R/2014/0266	Skana Super Dust	<i>Malathion 2%+ Permethrin 0.3%</i>	Osho Chemical Indus Ltd	Osho Chemical Ltd	Insecticide for the control of maize weevils including larger grain borer.
MW/PCB/2008/0267	Odeon 720 SC	<i>Chlorothalonil 720 g/l</i>	Makhteshim Agan SA (Pty)	Farmers Organisation	Fungicide for the control of coffee berry disease; rust in beans; leafspot in groundnuts; early blight and late blight in tomatoes and potatoes.
MW/PCB/R/2015/0268	Leili Spreader 220 SL	<i>Fatty Alcohol-Polyxyethylene Ether 9.45%+Sodium Alkyl Benzene Sulfonate Alcohol 10.5%+Carboxymethyl Cellulose 1.05%</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Adjuvant with wetting, sticking and penetrant properties for improving the spreading and adhesion of pesticide sprays. WHO CLASS IV
MW/PCB/R/2013/0269	Bulldock 125EC	<i>Beta-Cyfluthrin</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of cutworms, aphids, whiteflies, leafminer, borers, thrips, beetles, armyworm, Russian wheat aphids, moths, caterpillars, Diamond back moth, mealybugs and scale
MW/PCB/R/2013/0270	Confidor 70WG	<i>Imidacloprid</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide to control aphids and whitefly nymphs on Roses; aphids, thrips, whiteflies, leaf miner on tomatoes; bean flower thrips on french beans; aphids, thrips, whiteflies, leaf beetles and weevils on Tobacco.
MW/PCB/R/2013/0271	Basta 20EC	<i>Glufosinate ammonium</i>	Bayer	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for post-emergence control of annual and perennial weeds on a variety of crops.

MW/PCB/R/2015/0272	Steward 150EC	<i>Indoxacarb 150g/l</i>	Dupont	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of insect pests in maize, potatoes, tomatoes, soya beans, beans, tobacco and cotton.
MW/PCB/2008/0273	Endosulfan 350EC	<i>Endosulfan 350g/l</i>	Volcano	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide to control aphids, jassids and thrips in cotton; aphid, stem borer and pink borer in maize.
MW/PCB/R/2015/0274	Atrazine 500SC	<i>Atrazine 485g/l (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of annual broadleaf weeds and certain grasses in maize, grain-sorghum and sugarcane. WHO CLASS II
MW/PCB/R/2014/0275	Extreme 50 WP	<i>Chlorimuron ethyl 500g/kg (sulfonyle urea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	A post-emergent herbicide acting through foliage with long residual control of certain broadleaf weeds and some grasses in soya beans and sugarcane. WHO CLASS II
MW/PCB/2008/0276	Mancozeb 800WP	<i>Mancozeb 800g/Kg (dithiocarbamate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Fungicide to control early and late blight on tomatoes and potatoes; Fusarium dry rot and Common Scab in potatoes; Septoria leaf spot on tomatoes; cercospora leaf spot on groundnuts; Anthracnose on mangoes. WHO CLASS III

MW/PCB/R/2014/0277	Atrazine 900WDG	<i>Atrazine (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective herbicide for pre-emergence control of broadleaf weeds and certain annual grasses in maize. WHO CLASS III
MW/PCB/R/2014/0278	Ametryn 500SC	<i>Ametryn 490 g/l (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre- and post-emergence control of annual broadleaf weeds and grasses in sugarcane, bananas and pineapples. WHO CLASS II
MW/PCB/R/2015/0279	Diuron 800WG	<i>Diuron 800g/Kg (substituted urea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use. WHO CLASS III
MW/PCB/R/2014/0280	Hexazinone 240SL	<i>Hexazinone 240g/l (triazinone)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the selective control of grasses and broadleaf weeds in ratoon sugarcane and for non-selective use in sugarcane verges and breaks. WHO II
MW/PCB/R/2014/0281	Metribuzin 480SC	<i>Metribuzin (triazine)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for the control of a variety of annual broadleaf weeds and grasses in various crops. WHO CLASS II

MW/PCB/R/2014/0282	Diuron 800SC	<i>Diuron 800g/l (substituted urea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use along rail tracks and on road shoulders. WHO CLASS III
MW/PCB/R/2015/0283	Parabat Extra 660WP	<i>Pendimethalin 437g/Kg (dinitroaniline)+ Metribuzin 192g/Kg (triazine)+ Chlorimuron-Ethyl 31g/Kg (sulfonylurea)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Herbicide for pre-emergence and very early post-emergence application for the control of annual and perennial broadleaf weeds, certain grass species and the suppression of cyperus spp. In sugarcane.
MW/PCB/R/2015/0284	Dimethoate 400EC	<i>Dimethoate 400 g/l (organophosphate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Systemic and contact insecticide /Miticide for the control of aphids, psylla, red scale, fruit fly, Bryobia mite, woolly aphid, mealy bug and black moth on various crops. WHO CLASS Ib
MW/PCB/R/2014/0285	Chlorpyrifos 480EC	<i>Chlorpyrifos480g/l (organophosphate)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide used for the control of cutworms, aphids, whiteflies, leafminer, borers, thrips, beetles, armyworm, Russian wheat aphids, moths, caterpillars, mealybugs and scale in vegetables, fruits, flowers, cotton, coffee, sunflower, tea and pineapples. WHO CLASS II

MW/PCB/R/2015/0286	Lambdacyhalothrin 50EC	<i>Lambdacyhalothrin 500 g/l (pyrethroid)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Insecticide for the control of cutworms on all crops; Banded fruit weevil in apples and pears; African bollworm, red bollworms and Spiny bollworms in cotton; African bollworms in groundnuts, dry beans, green beans, lucerne, maize and sweetcorn. WHO CLASS III
MW/PCB/2008/0287	Monocrotophos	<i>Monocrotophos</i>	Volcano	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Systemic Insecticide for the control of bollworms, spidermites, jassids, stainers, aphids, thrips and whiteflies in cotton; stalkborer in maize; stinkbug caterpillars, aphids, mites and tuber moth in potatoes; bollworms, leafminer and red spider in tomatoes.
MW/PCB/R/2014/0288	Agromectin 1.8% EC	<i>Abamectin 18g/l (avermectin)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Contact & stomach insecticide/acaricide for the control of red mites, American leafminer and thrips on cotton, tomatoes, citrus, pears, apples and ornamentals. WHO Ib
MW/PCB/R/2008/0289	Olyset net	<i>Perthrin 2%</i>	Botanex	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide treated net to control mosquitoes.
MW/PCB/2008/0290	Fendona 5 WP	<i>Alpha-cypermethrin 50g/kg (pyrethroid)</i>	BASF Chemical Company	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of thrips, aphids and leaf miner on french beans; thrips aphids and whiteflies on Roses.

MW/PCB/2008/0291	Fendona 6 SC	<i>Alpha-cypermethrin 60 g/kg</i>	BASF Chemical Company	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of mosquitoes, tsetseflies, bedbugs, coachroaches, flies, fleas, ants, carpet beetles, silverfish and stored product insect pests.
MW/PCB/2008/0292	Diethylphenylacetamide 20% W/W (Enuf Cream)	<i>Diethylphenylacetamide (DEPA)</i>	Tagros Chemicals India Ltd	Africa Fertilizer Company	Insecticide used for repelling mosquitoes, horse flies, sand flies, black flies, bed bugs and ticks.
MW/PCB/2008/0293	Diethylphenylacetamide 20% V/V (Spray)	<i>Diethylphenylacetamide (DEPA)</i>	Tagros Chemicals India Ltd	Africa Fertilizer Company	Insecticide used for protection against mosquitoes, horse flies, sand flies, black flies, bed bugs and ticks.
MW/PCB/2008/0294	Revival 100 WP	<i>Lambdacyhalothrin</i>	Tagros Chemicals India Ltd	Africa Fertilizer Company	Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/2008/0295	Loc Line of Control 0.5% Chalk	<i>Deltamethrin</i>	Tagros Chemicals India Ltd	Africa Fertilizer Company	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2008/0296	Pali 250 WDG	<i>Deltamethrin</i>	Tagros Chemicals India Ltd	Africa Fertilizer Company	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2008/0297	Karate 5 SC	<i>Lambda-Cyhalothrin 50 g/l</i>	Syngenta Crop Protection	Farmers Organisation	Insecticide for the control of red, spiny and heliothis bollworms and certain other pests in cotton; cutworm in all crops excluding cotton and armyworm on pasture.
MW/PCB/2008/0298	Gesagard 500SC	<i>Prometryn 50%</i>	Syngenta Crop Protection	Farmers Organisation & Chemicals and Marketing	Herbicide for the control of broadleaf weeds in groundnuts, cotton and sunflowers.

MW/PCB/2008/0299	Fusilade Forte 150EC	<i>Fluazifop-p-butyl</i> 150 g/l	Syngenta Crop Protection	Farmers Organisation & Chemicals and Marketing	A post-emergence Herbicide for the control of most annual and perennial grass weeds as well as the suppression of upright starbur in tobacco, cotton, groundnuts, beans and soyabeans. It is also used as a sugarcane ripener.
MW/PCB/2008/0300	Fusilade Super 125EC	<i>Fluazifop-p-butyl</i> 125 g/l	Syngenta Crop Protection	Farmers Organisation & Chemicals and Marketing	A post-emergence Herbicide for the control of most annual and perennial grass weeds as well as the suppression of upright starbur in tobacco. It is also used as a sugarcane ripener.
MW/PCB/2008/0301	Beteleur Gold 650EC	<i>S-Metolachlor</i> 630 g/l+ <i>Flumetsulam</i> 20 g/l	Syngenta Crop Protection	Farmers Organisation & Chemicals and Marketing	Pre-emergence Herbicide for the control of annual grasses, broadleaf weeds and under certain conditions also yellow nutsedge in maize, soyabeans and beans.
MW/PCB/2008/0302	Igran Combi Gold 450EC	<i>S-Metolachlor</i> 250 g/l+ <i>Terbutryn</i> 200 g/l	Syngenta Crop Protection	Farmers Organisation & Chemicals and Marketing	Herbicide for pre-emergence weed control in cotton, sunflower, maize, peas, groundnuts and soyabeans.
MW/PCB/R/2014/0303	Dynamec 018EC	<i>Abamectin</i> 18g/L	Syngenta Crop Protection	Farmers Organisation	Insecticide/Acaricide for the control of motile stages of mites, leaf miners, suckers, colorado beetles on ornamentals, cotton, fruits, potatoes and vegetables.
MW/PCB/2008/0304	Interceptor TM Net	<i>Alphacypermethrin</i> 200mg/m ²	BASF SE	Farmers Organisation	Insecticide Impregnated net used in public health for the control of mosquitoes.
MW/PCB/2010/0305	Cypermethrin 200EC	<i>Cypermethrin</i> 200g/l	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of bollworms in cotton; American bollworm in maize, groundnuts and sorghum and tomatoes and cutworms in all crops.

MW/PCB/2010/0306	Acephate 750SP	<i>Acephate</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of American bollworm in tobacco, apples and tomatoes; aphids in potatoes and tobacco; cutworms and leaf-eating insects and also leafminer in tobacco.
MW/PCB/2010/0307	Mancozeb 800WP	<i>Mancozeb 800g/kg</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/2010/0308	2,4-D 480SL	<i>2,4-D</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective hormone-type Herbicide for the control of broadleaf weeds in maize, grain sorghum, wheat and other cereals, sugarcane, lawns, golf-courses and grass pastures.
MW/PCB/R/2015/0309	Acetochlor 960 EC	<i>Acetochlor 960g/L</i> <i>(chloroacetanilide)</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the pre-emergence and post-emergence control of weeds in plant and ratoon sugarcane and industrial use. WHO CLASS III
MW/PCB/2010/0310	EDB Mo EC	<i>Ethylene Dibromide 1800 g/l</i>	FarmAg International (Pty) Ltd	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Soil Fumigant for the control of nematodes in seedbeds and soil before planting.
MW/PCB/2010/0311	S-Metolachlor 960EC	<i>S-Metolachlor 960g/L</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre-emergence control of annual grasses, certain broadleaf weeds and yellow nutsedge (under certain conditions) in sugarcane, <i>Eucalyptus</i> and pine plantations.
MW/PCB/2010/0312	Clomazone 480EC	<i>Clomazone</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual grasses and certain broad leaf weeds in tobacco.

MW/PCB/2010/0313	Diuron 800WG	<i>Diuron</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual weeds in citrus, avocados, bananas, coffee, mangoes, pineapples, macadamia and pecan nuts and sugarcane as well as for industrial use.
MW/PCB/2010/0314	Pirimiphos Methyl 500EC	<i>Pirimiphos-methyl</i> (organophosphate)	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide with contact and fumigant action for use in general pest control and stored products e.g. weevils, beetles and borers in beans, maize, rice and ground nuts.
MW/PCB/2010/0315	Methamidophos 600SL	<i>Methamidophos</i> (organophosphate) 585g/L	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide for the control of aphids and tuber moth on potatoes; American bollworm, semi looper and leafminer on tomatoes; aphids on tobacco; aphids, moth caterpillars, diamond back moth, caterpillars on cruciferae.
MW/PCB/2010/0316	N-Decanol 690EC	<i>N-Decanol 690 g/l</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Plant growth Regulator- a desuckeride for tobacco.
MW/PCB/2010/0317	Deltamethrin 25EC	<i>Deltamethrin 25g/l</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation	Insecticide used for the control of American bollworm in beans, tomatoes, grain sorghum, groundnuts, maize, wheat and peas; cutworms in all crops; maize stalkborer; bollworms and stainers in cotton.
MW/PCB/2010/0318	Butralin 360EC	<i>Butralin 360 g/l</i>	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation	Plant growth Regulator for sucker control in tobacco.

MW/PCB/2011/0319	EDB TC	<i>Ethylene Dibromide</i> 2, 170g/L	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Soil Fumigant for the control of nematodes in seedbeds and soil before planting.
MW/PCB/2011/0320	Oxamyl 310SL	<i>Oxamyl (Oxame Carbamate)</i> 310g/L	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide/Acaricide/Nematicide for the protection of groundnuts against groundnut pod nematode, nematode of potatoes, pineapples, sugarcane, tobacco and against root knot nematodes and suppression of aphids on potatoes.
MW/PCB/2011/0321	Oxamyl 100GR	<i>Oxamyl (Oxame Carbamate)</i> 100g/Kg	FarmAg International (pty) Ltd, Old Mili Industrial Park, Mount Edge Combe, South Africa. volagro@iafrica.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Insecticide/ Acaricide/Nematicide for the control of broad spectrum of insects, mites, ticks, round worms in potatoes, tobacco, tomatoes, bananas and sugarcanes and the reduction of aphids in potatoes.
MW/PCB/2011/0322	Prowl 387SC	<i>Pendimethalin</i> 455 g/l	BASF	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for the control of annual grasses in maize, soybeans, wheat, winter barley, onions and cotton and also control of shamva grass.
MW/PCB/2011/0323	Bellis WG	<i>Pyrachlostrobin</i> 128g/L + <i>Boscalid</i> 252g/L	BASF	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Fungicide for the control of early blight in potatoes and tomatoes and Downy and black spot in roses; early leafspot and rust in groundnuts.
MW/PCB/2011/0324	Cypermethrin 20EC	<i>Cypermethrin</i> 20%	Rallis	Chemicals & Marketing	Insecticide for the control of cutworms, stalkborer and adult snout beetle in maize; semi looper in soybeans; red and heliothis bollworms in cotton.

MW/PCB/2011/0325	Tafgor 40%	Dimethoate 50%	Rallis	Chemicals & Marketing	Insecticide for the control of thrips, mites, whiteflies, aphids and other sucking and chewing insects on tobacco, fruits, grains, and vegetables.
MW/PCB/2011/0326	Shumba Super 50EC	Fenitrothion 50g/L + Deltamethrin 5g/L	EcoMark LTD	Agricultural Trading Company	Insecticide for use as a grain protectant against stored grain for insect pests- weevils, lesser grain borer, larger grain borer, moths and dried bean beetle.
MW/PCB/2011/0327	Maxim ^(R) XL 035FS	Fludioxonil 25g/L + Metalaxyl 10g/L	Syngenta Crop Protection	Farmers Organisation	Seed treatment Fungicide used for controlling seed and soil-borne diseases causing damping-off of maize, sorghum, cotton, peas, beans and sunflower.
MW/PCB/2011/0328	Match [®] 050EC	Lufenuron 50g/L	Syngenta Crop Protection	Farmers Organisation	Insecticide as a growth inhibitor in the control of diamond back moth in brassicas, American bollworm in tomatoes, peas and paprika, false coding moth in paprika, laceworm in roses, and potato tuber moth larva on potatoes.
MW/PCB/2011/0329	Apron Star 42WS	Thiamethoxam 20g/L + Metalaxyl-M 20g/L + Difenoconazole 2g/L	Syngenta Crop Protection	Farmers Organisation	Seed treatment Fungicide/Insecticide for controlling seed and soil-borne diseases and pests causing damping off of millet, maize, sorghum, wheat, cotton, beans, groundnuts, vegetables and soyabeans.
MW/PCB/2011/0330	Cypermethrin 20EC	Cypermethrin 200g/L (pyrethroid)	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of various agricultural pests.

MW/PCB/2011/0331	Avi - Sipermethrin 20EC	<i>Cypermethrin 200g/L</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of cutworms in various crops; American bollworm in tomatoes, groundnuts, maize, peas and soya; stalkborer in soya; all bollworms and stainers in cotton
MW/PCB/2011/0332	Oxamyl 310SL	<i>Oxamyl 310g/L</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Nematicide/insecticide for the protection of groundnuts against pod nematodes, potatoes and tomatoes against Root Knot nematodes and suppression of aphids on potatoes.
MW/PCB/2011/0333	Phosfume Tablets	<i>Aluminium Phosphide 560g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Fumigant / Insecticide for the control of commonly occurring insect pests in stored cereal and tobacco.
MW/PCB/2011/0334	Methamidofos 585SL	<i>Methamidophos (organophosphate) 585g/L</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of aphids and american bollworm in tobacco; american bollworm, semilooper and leafminer in tomatoes; aphids and potato tuber moth in potatoes.
MW/PCB/2011/0335	Deltamethrin 25EC	<i>Deltamethrin 25g/L</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2011/0336	Dimethoate 40EC	<i>Dimethoate 400g/L</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of a wide range of pests for various crops.
MW/PCB/2011/0337	Acephate 750SP	<i>Acephate 750g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of thrips, leaf miner and leaf chewing insects on Roses and tobacco.
MW/PCB/2011/0338	N-Decanol 690EC	<i>N-Decanol (C10) 690g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Plant growth Regulator- a desuckeride for tobacco.

MW/PCB/2011/0339	Chlorpyrifos 480EC	<i>Chlorpyrifos 480g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide used for the control of insect pests on various crops i.e. red spider, army worm, mites, black maize beetle, red scale, American Bollworm, stalkborer, cut worm aphids, etc.
MW/PCB/2011/0340	ProGuard 80WP	<i>Propoxur 800g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of malaria vector mosquitoes and other household pests.
MW/PCB/2011/0341	Avigard	<i>Mercaptothion 526g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of aphids, mealy bugs, scale, thrips, grasshoppers, crickets, lawn caterpillars, diamond black moth, fruitfly, pumpkin fly, ant holes, lady bird, fungus gnats and astylus.
MW/PCB/2011/0342	Lambda-Cyhalothrin 50EC	<i>Lambda-Cyhalothrin 50g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of cutworms in all crops; tuber moth larva and American bollworm in potatoes; American bollworm in groundnuts, dry beans, green beans, lucerne, maize; American bollworm, Red bollworm, spiny bollworm and cotton stainer in cotton.
MW/PCB/2011/0343	Ethephon 480SL	<i>Ethephon 480g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Plant growth regulator for use on sugarcane to increase sucrose content, colouring of fruit in pine apples, in wheat to reduce incidences of lodging and it also induces flowering in cayennes and queens.

MW/PCB/2011/0344	Metam-Sodium 510 SL	<i>Metam Sodium 510g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Soil fumigant for the control of certain soil fungi, nematodes and germinating weed seeds in seed beds, horticultural and agricultural soils.
MW/PCB/2011/0345	Acetamiprid 222SL	<i>Acetamiprid 222g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of aphids and leafhoppers in cotton; whitefly and American leafminer in tomatoes.
MW/PCB/2011/0346	Glyphosate 360 SL	<i>Glyphosate 360g/l</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Herbicide for post-emergence control of perennial and annual weeds in agriculture and industrial areas.
MW/PCB/2011/0347	Mancozeb 80WP	<i>Mancozeb (Dithiocarbamate) 800g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Fungicide/Acaricide for the control of early and late blight on tomatoes and potatoes; rust and anthracnose on beans; cercospora and phyllosticta leafspot in g/nuts; downy mildew in onions and peas.
MW/PCB/2011/0348	Carbarly 850WP	<i>Carbarly 850g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Insecticide for the control of various pests on crops, lawns, skins and hides and for thinning of certain apple varieties.
MW/PCB/2011/0349	Nordox 86% WP	<i>Cuprous Oxide 860g/Kg</i>	Avima (pty) Ltd, P.O. Box 3131, Kenmare 1745, South Africa. Ursula@avima.co.za	Chemicals World, Box 51114, Limbe. sarm@malawi.net	Fungicide/Bacteriacide for the control of various diseases on field crops eg leaf rust in coffee.
MW/PCB/2011/0350	Lambda-Cyhalothrin 5% EC	<i>Lambda-Cyhalothrin 50g/l</i>	Qingdao	Malawi Cotton	Insecticide for the control of chewing and sucking insects .i. American bollworm, spiny bollworm, red bollworm and cotton stainer.
MW/PCB/2011/0351	Acetamiprid 200SL	<i>Acetamiprid 200g/l</i>	Qingdao	Malawi Cotton	Insecticide for the control of caterpillars and bollworms in cotton and cruciferae.

MW/PCB/2011/0352	Emthane M45	<i>Mancozeb 800g/Kg</i>	Sabero	Chemicals & Marketing	Fungicide to control early and late blight on tomatoes and potatoes; leafblight and downy mildew in maize; brown and black rust and blight in wheat and leaf spot in sorghum.
MW/PCB/2011/0353	Cruiser Extra Cotton 362 FS	<i>Thiamethoxam 350g/L + Fludioxonil 8g/l + Metalaxyl-M 3g/L</i>	Syngenta Crop Protection	Chemicals & Marketing	Fungicide / Insecticide for seed treatment and control of aphids in cotton from emergence up to 5-7 weeks.
MW/PCB/2011/0354	Ficam VC	<i>Bendiocarb 800g/Kg</i>	Bayer	Agricultural Trading Co.	Insecticide for the control of adult malaria mosquito vectors in structures.
MW/PCB/2011/0355	Bladbuff 5 SL	<i>Phosphoric acid 600g/L</i>	Plaaskem	Farmers Organisation Ltd	Adjuvant, a water quality improving agent with wetting, spreading and acidifying qualities with a built in PH indicator for use with contact and systemic pesticides, fungicides, herbicides and foliar feeds.
MW/PCB/2011/0356	Erase Granule	<i>Glyphosate acid 500K + Glyphosate salt 588g/Kg</i>	Plaaskem	Farmers Organisation	Herbicide for the control of a wide range of annual and perennial grasses, broadleaf weeds and certain woody perennials on agricultural, non-crop and industrial areas.
MW/PCB/2011/0357	Cungfu 53SC	<i>Copper hydroxide 538g/L + Copper equivalent 350g/L</i>	Nulandis	Farmers Organisation	Fungicide/Bacteriacide for the control of various diseases on potatoes, tomatoes, beans, coffee, vegetables avocados and citrus fruits.
MW/PCB/2011/0358	Sniper SC	<i>Methamidophos 585g/L</i>	Plaaskem	Farmers Organisation	Insecticide for the control of aphids in potatoes, cruciferae, peaches, citrus and tobacco; American bollworm in tobacco, and tomatoes.

MW/PCB/2011/0359	Cyperfos 500 EC	<i>Chlorpyrifos 450g/L</i>	Plaaskem	Farmers Organisation	Insecticide used for the control of black maize beetle on maize and dry beans; stalkborer on maize; American bollworm on citrus and tomatoes; red scale, mealybug and aphids on citrus; Russian wheat aphid and green and brown aphids on wheat.
MW/PCB/2011/0360	Fetron 400 EC	<i>Dimethoate 400g/L</i>	Plaaskem (Pty) Ltd	Agricultural Trading Co.	Insecticide for the control of aphids in wheat, tobacco, groundnuts, cotton, apples and pears; mealybugs in pineapples, grapes and citrus.
MW/PCB/2011/0361	Acetochlor 960 EC	<i>Acetochlor 960g/L (herbicide)</i>	Plaaskem	Farmers Organisation	Herbicide for pre-emergence control of annual grasses, broadleaved weeds and yellow nutsedge on sugarcane.
MW/PCB/2011/0362	Cylam 50 EC	<i>Lambda Cyhalothrin 50g/L</i>	Plaaskem	Farmers Organisation	Insecticide for the control of various insects in maize, sorghum, soyabeans, wheat, groundnuts, beans and potatoes.
MW/PCB/2011/0363	Cyperin EC	<i>Cypermethrin 200g/L</i>	Nulandis	Farmers Organisation	Insecticide for the control of army worm in pastures; American bollworm in groundnuts, beans & maize; stalkborer in maize; lucerne caterpillar; and diamond back moth larvae and thrips in cruciferae; and cutworms in all crops.
MW/PCB/2011/0364	Ametryn 500 SC	<i>Ametryn 500g/L (herbicide)</i>	Plaaskem (Pty) Ltd	Farmers Organisation	Herbicide for the control of annual broadleaf weeds and grasses in sugarcane, bananas and pineapples.

MW/PCB/2011/0365	Ethapon SL	<i>Ethephon 480g/L</i>	Plaaskem	Farmers Organisation	Plant growth regulator for use on sugarcane to increase sucrose content, colouring of fruit in pine apples, in wheat to reduce incidences of lodging and it also induces flowering in cayennes and queens.
MW/PCB/2011/0366	Tronic SL	<i>Petroleum hydrocarbons 900g/L (wetting agent adjuvent)</i>	Plaaskem	Farmers Organisation	Adjuvant which acts as a wetter, spreader, activator, penetrator and retention agent for use with herbicides, fungicides and growth regulators.
MW/PCB/2011/0367	Zinon 750 WG	<i>Hexazinone 750g/L</i>	Plaaskem	Farmers Organisation	Herbicide used for the control of grass and broadleaf weeds in ratoon sugarcane.
MW/PCB/2011/0368	Diuron 800 WGD	<i>Diuron 800g/Kg (herbicide)</i>	Plaaskem		Herbicide
MW/PCB/2011/0369	Actellic 300 CS	<i>Pirimiphos-Methyl 300g/L</i>	Syngenta Crop Protection	Farmers Organisation	Insecticide for use in vector control programs.
MW/PCB/2011/0370	Acetamiprid 200 SL	<i>Acetamiprid 200g/L (Insecticide)</i>	Kenchem	Chemicals & Marketing	Insecticide for the control of caterpillars and bollworms in cotton .
MW/PCB/2011/0371	Monocrotophos 400 SL	<i>Monocrotophos 400 g/L (Insecticide)</i>	Sabero	Chemicals & Marketing	Systemic Insecticide for the control of bollworms, spidermites, jassids, stainers, aphids, thrips and whiteflies in cotton; stalkborer in maize; stinkbug caterpillars, aphids, mites and tuber moth in potatoes; bollworms, leafminer and red spider in tomatoes.
MW/PCB/2011/0372	Emexyl	<i>Mancozeb 64% + Metalaxyl 8% WP</i>	Sabero	Chemicals & Marketing	Fungicide for the control of late blight and downy mildew in tomatoes and cucurbits; bluemold, brown spot, frog eye leafspot in tobacco seedbed/ field.

MW/PCB/2011/0373	Acetamiprid 20 SL	<i>Acetamiprid 200 g/L</i>	United Phosphorus	Agricultural Trading Company	Insecticide for the control of aphids, jassids, thrips and whitefly in cotton and chillis; termites in sugarcane and hoppers in mangoes.
MW/PCB/2011/0374	Quickphos 56 Tablets	<i>Aluminium Phosphide 56%</i>	United Phosphorus	Agricultural Trading Company	Fumigant/Insecticide for the control of stored product pests in stored commodities, processed foods and animal feeds.
MW/PCB/2011/0375	Lifenet	<i>Deltamethic 0.85% w/w Long Lasting Insectidal.Net (Insecticide)</i>	Bayer	Farmers Organisation	Long Lasting Insecticidal Net.
MW/PCB/R/2013/0376	Thunder OD	<i>Imidactoprid 100g/L + Beta-Cyfluthrin 45g/L</i>	Bayer	Farmers Organisation	Insecticide used to control aphids and budworm in tobacco; aphids, heliothis bollworm, red bollworm, spiny bollworm, stainers, jassids and leafeaters in cotton; aphids, whiteflies and caterpillars in ornamental roses; aphids in wheat and barley and thrips, aphids, whiteflies, leaf miners and heliothis bollworm in totatoes and beans.
MW/PCB/2011/0377	Wivokil	<i>Fenitrothion 50g/L + Deltamethrin 5g/L</i>	AHL Chemicals and Steel Co. Ltd	Agricultural Trading	Insecticide for use as a grain protectant against stored grain for insect pests-weevils, lesser grain borer, larger grain borer, moths and dried bean beetle.
MW/PCB/2011/0378	Permanet 3.0	<i>Deltamethrin 40g/Kg (140mg/m²)</i>	Vestergard Frandsen Group S.A.	Nankhwirinji Company LTD	Insecticide impregnated net for the control of adult mosquitoes in public health.
MW/PCB/2011/0379	Mancozeb 80WP	<i>Mancozeb 800g/kg</i>	Shanghai MIO Chemicals Co. Ltd	Kalaundi Agro chemicals	Fungicide to control early and late blight on tomatoes and potatoes; cercospora leafspot in ground nuts; downy mildew in peas and onions; anthracnose and rust in beans.
MW/PCB/2011/0380	Codal Gold 412.5 DC	<i>Prometryn 250g/L + S-Metolachlor 162.5g/L</i>	Syngenta Crop Protection		post-emergnce Herbicide used in cotton and wheat.

MW/PCB/2012/0381	Acetamiprid 22.2SL	<i>Acetamiprid 222g/L</i>	Eximco Agro Limited	Afrisian Ltd	Insecticide for the control of leaf miners, aphids, thrips, jassids, whiteflies etc.
MW/PCB/2012/0382	Cypermethrin 20EC	<i>Cypermethrin 200g/L</i>	Eximco Agro Limited	Afrisian Ltd	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2012/0383	Deltamethrin 2.5EC	<i>Deltamethrin 25g/L</i>	Eximco Agro Limited	Afrisian Ltd	Insecticide used for the eradication of bollworms and sucking insects in cotton, beans, peas and tomatoes.
MW/PCB/2012/0384	Glyphosate 480 SL	<i>Isopropylane Salt of Glyphosate 480g/L</i>	Hangzhou Tianlong Biotechnology	Kingdom Pest Control	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2012/0385	Cypermethrin 20EC	<i>Cypermethrin 200g/L</i>	Hangzhou Tianlong Biotechnology	Kingdom Pest Control	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2012/0386	Acetochlor 90EC	<i>Acetochlor 900g/L (herbicide)</i>	Hangzhou Tianlong Biotechnology	Kingdom Pest Control	Herbicide for the pre- and post-emergence control of weeds in plant and ratoon sugarcane and industrial sites.
MW/PCB/2012/0387	Dimethoate 40EC	<i>Dimethoate 400g/L (Insecticide)</i>	Hangzhou Tianlong Biotechnology	Kingdom Pest Control	Insecticide for the control of a wide range of pests for various crops.
MW/PCB/2012/0388	Copper Oxychloride 860g/Kg WG	<i>Copper Oxychloride 860g/Kg</i>	Crop Chem (Pty) Ltd	Agro Chem	Fungicide for the control of early and late blight in vegetables and potatoes; dumping off, root rots, and stem rots in tobacco seedlings and vegetable seedlings.
MW/PCB/2012/0389	Copper Oxychloride 860g/Kg WP	<i>Copper Oxychloride 860g/Kg</i>	Crop Chem (Pty) Ltd	Agro Chem	Fungicide for the control of fungal diseases in beans, coffee, tobacco, tomatoes, potatoes and pepper.
MW/PCB/2012/0390	Paraquat 20% SL	<i>Paraquat Dichloride 200g/L</i>	Crop Chem (Pty) Ltd	Agro Chem	Herbicide for the pre-emergence control of annual and perennial weeds. Also useful in defoliation and desiccation of cotton.

MW/PCB/2012/0391	Glyphosate 36% SL	<i>Glyphosate Isopropylamine Salt</i> 360g/L	Crop Chem (Pty) Ltd	Agro Chem	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2012/0392	Dimethoate 40% EC	<i>Dimethoate</i> 400g/L (Insecticide)	Crop Chem (Pty) Ltd	Agro Chem	Insecticide for the control of a wide range of pests for various crops.
MW/PCB/2012/0393	N-Decanol 790g/L EC	<i>N-Decanol (C10)</i> 790g/l	Crop Chem (Pty) Ltd	Agro Chem	Plant growth Regulator used as a tobacco desuckeride.
MW/PCB/2012/0394	Chlorpyrifos 480g/L EC	<i>Chlorpyrifos</i> 480g/L	Crop Chem (Pty) Ltd	Agro Chem	Insecticide used for the control of cutworms, aphids, whiteflies, leafminer, borers, thrips, beetles, armyworm, Russian wheat aphids, moths, caterpillars, mealybugs and scale in vegetables, fruits, flowers, cotton, coffee, sunflower, tea and pineapples.
MW/PCB/2012/0395	Mancozeb 80% WP	<i>Mancozeb (Dithiocarbamate)</i> 800g/Kg	Crop Chem (Pty) Ltd	Agro Chem	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/2012/0396	Mancozeb 75% DF	<i>Mancozeb (Dithiocarbamate)</i> 750g/Kg	Crop Chem (Pty) Ltd	Agro Chem	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/2012/0397	Aluminium Phosphide 56% TB	<i>Aluminium Phosphide</i> 560g/Kg	FarmAg International (Pty) Ltd	Farmers Organisation	Fumigant/ Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc.
MW/PCB/2012/0398	DDVP 1, 000 EC	<i>Dichlorvos</i> 1, 000g/L	FarmAg International (Pty) Ltd	Farmers Organisation	Insecticide for the control of bollworms in cotton; semi loopers in groundnuts; semi loppers and borers in tomato; pyrilla in sugarcane; semi loopers, borers and diamond back moth in vegetables; household pests i.e. coachroaches, snails and weevils

MW/PCB/2012/0399	FarmAg Mancozeb + Metalaxyl 720WP	<i>Metalaxyl 80g/kg+ Mancozeb 640g/kg</i>	FarmAg International (Pty) Ltd	Farmers Organisation	Fungicide for the control of late blight and downy mildew in tomatoes and cucurbits; bluemold, brown spot, frog eye leafspot in tobacco seedbed/ field.
MW/PCB/2012/0400	FarmAg Imidacloprid 700WG	<i>Imidacloprid (Chlono-nicotinyl) 700g/L</i>	FarmAg International (Pty) Ltd	Farmers Organisation	Insecticide to control aphids, thrips, whiteflies, leaf miner on tomatoes; bean flower thrips on french beans; aphids, thrips, whiteflies, leaf beetles and weevils on tobacco.
MW/PCB/2012/0401	FarmAg Acetamiprid 222SL	<i>Acetamiprid (Acetamidine) 222g/L</i>	FarmAg International (Pty) Ltd	Farmers Organisation	Insecticide for the control of caterpillars and bollworms in cotton .
MW/PCB/2012/0402	Deltamethrin 100EC	<i>Deltamethrin 100g/L</i>	FarmAg International (Pty) Ltd	Farmers Organisation	Insecticide for the control of cutworms in all crops; American bollworms in beans,maize, wheat, tomatoes, peas, groundnuts and sorghum; bollworms and stainers in cotton.
MW/PCB/2012/0403	Acetamiprid 200g/L SL	<i>Acetamiprid 200g/L</i>	Nulandis	Farmers Organisation	Insecticide for the control of greenpeach aphids on peaches and nectarines.
MW/PCB/2012/0404	Cypermethrin 20% EC	<i>Cypermethrin 200g/L</i>	Isagro (Asia) Agrochemicals (Pvt) Ltd		Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2012/0405	Deltamethrin 2.5 EC	<i>Deltamethrin 25g/L</i>	Isagro (Asia) Agrochemicals (Pvt) Ltd		Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2012/0406	Deltamethrin 25%WT	<i>Deltamethrin 25g/Tablet</i>	Crop Chem(Pvt)	Farmers Organisation	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2012/0407	Belt 480SC	<i>Flubendiamide 480g/L</i>	Bayer	Farmers Organisation	A broad spectrum Insecticide against a broad range of lepidoptera pests for use on annual and perennial crops.

MW/PCB/2013/0143	Yamaotea Super EC	<i>Flumetralin 125g/l + Butralin180g/L</i>	Bytrade Tanzania	Chemicals & Marketing	Plant growth regulator used as a tobacco desuckeride.
MW/PCB/2013/0408	Gastoxin Tablets	<i>Aluminium Phosphide 560g/Kg</i>	Degesch Ltd	Antipest	Fumigant Insecticide for the control of stored product pests in maize, wheat, sorghum, groundnuts, soyabeans, sunflower seed, tobacco and rice.
MW/PCB/2013/0409	Mil Fog	<i>Pyrethrins 5g/l+Piperonyl Butoxide 20g/l</i>	Degesch Ltd	Antipest	Insecticide for the control of flying and crawling insects such as grain weevils, flour moths, tobacco beetles and their larvae.
MW/PCB/2013/0410	Reldan 40EC	<i>Chloropyrifos-methyl 400g/l</i>	Degesch Ltd	Antipest	Insecticide for the prevention of the re-infestation of stacked bags of fumigated grain and bulk treatment of wheat, maize, barley, oats and rye.
MW/PCB/2013/0411	Cypermethrin 20EC	<i>Cypermethrin</i>	Kenchem Trading	Chemicals & Marketing	Insecticide for the control of bollworms, stainers, jassids, whitefly and leafeaters in cotton; bollworms and larvae thrips in cruciferae; stinkbugs in macademies; cutworms in tobacco and bollworms in tomatoes.
MW/PCB/2013/0412	Deltamethrin 2.5EC	<i>Deltamethrin</i>	Kenchem Trading	Chemicals & Marketing	Insecticide used for the control of bollworms, stainers, jassids, aphids, whitefly, leafeaters in cotton; cutworms in tobacco; leafminer in coffee.
MW/PCB/2013/0413	Carbarly 85 WP	<i>Carbarly 850g/Kg</i>	Kenchem Trading	Chemicals & Marketing	Insecticide for the control of various pests on crops, lawns, skins and hides and for thinning of certain apple varieties.

MW/PCB/2013/0414	Imidacloprid 70%WG	<i>Imidacloprid 700g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Insecticide to control aphids and whitefly nymphs on Roses; aphids, thrips, whiteflies, leaf miner on tomatoes; bean flower thrips on french beans; aphids, thrips, whiteflies, leaf beetles and weevils on tobacco.
MW/PCB/2013/0415	Mancozeb 80% WP	<i>Mancozeb 800g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/2013/0416	Acetamiprid 20% SL	<i>Acetamiprid 200g/L</i>	Tagros Chemicals	Africa Fertilizer	Insecticide for the control of aphids, mealy bugs, red scale and psylla in citrus.
MW/PCB/2013/0417	N-Decanol 790g/L EC	<i>N-Decanol (C10) 790g/l</i>	Tagros Chemicals	Africa Fertilizer	Plant growth Regulator used as a tobacco desuckeride.
MW/PCB/2013/0418	Pendimethalin 50%EC	<i>Pendimethalin</i>	Tagros Chemicals	Africa Fertilizer	Herbicide for pre-emergence control of annual grasses and some broadleaf weeds in sugarcane, maize, cotton and soyabeans.
MW/PCB/2013/0419	Dimethoate 40% EC	<i>Dimethoate 400g/L (Insecticide)</i>	Tagros Chemicals	Africa Fertilizer	Insecticide for the control of a wide range of pests for various crops.
MW/PCB/2013/0420	Glyphosate 36% SL	<i>Glyphosate (Isopripylamine Salt)</i>	Tagros Chemicals	Africa Fertilizer	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2013/0421	MSMA 72% SL	<i>MSMA 720g/L</i>	Tagros Chemicals	Africa Fertilizer	Herbicide for post-emergence control of <i>Rottboellia cochinchinensis</i> , annual grasses, nutsedges and certain broadleaf weeds in cotton, lawns and sugarcane, for total weed control in industrial areas and the control of certain <i>Opuntia spp.</i> , queen of the night, Harrisia cactus and sisal

MW/PCB/2013/0422	MCPA 40%SL	<i>MCPA 400g/L</i>	Tagros Chemicals	Africa Fertilizer	Herbicide for the control of mainly broadleaf weeds and certain grasses in maize, potatoes, sugarcane and wheat
MW/PCB/2013/0423	Acetochlor 90%EC	<i>Acetochlor 900g/L (herbicide)</i>	Tagros Chemicals	Africa Fertilizer	Herbicide for the control of annual grasses and certain broad leaf weeds.
MW/PCB/2013/0424	Copper Oxychloride 85%WP	<i>Copper Oxychloride 850g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Fungicide for the control of fungal diseases in beans, coffee, tobacco, tomatoes, potatoes and pepper.
MW/PCB/2013/0425	Copper Hydroxide 77%WP	<i>Copper Hydroxide 770g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Fungicide used to control late blight on potatoes, tomatoes and other vegetable;
MW/PCB/2013/0426	Aluminium Phosphide 56%Tablet	<i>Aluminium Phosphide 560g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Fumigant Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc.
MW/PCB/2013/0427	Pirimiphos Methyl 50% EC	<i>Pirimiphos-methyl 500g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Insecticide for the control of grain storage pests (except larger or greater grain borer) in bulk stored grain, bagged grain, storage surfaces. Also for the Public Health use for the control of adult mosquitoes and cockroaches (on mud houses with grass thatch).
MW/PCB/2013/0428	Oxamyl 31% SL	<i>Oxamyl 310g/L</i>	Tagros Chemicals	Africa Fertilizer	Insecticide/ Acaricide/Nematicide for the control of broad spectrum of insects, mites, ticks, round worms in potatoes, tobacco, tomatoes, bananas and sugarcanes and the reduction of aphids in potatoes.

MW/PCB/2013/0429	Carbaryl 85% WP	<i>Carbaryl 850g/Kg</i>	Tagros Chemicals	Africa Fertilizer	Insecticide for the control of various pests on crops, lawns, skins and hides and for thinning of certain apple varieties.
MW/PCB/2013/0430	Ametryn 50% SC	<i>Ametryn 500g/L (herbicide)</i>	Tagros Chemicals	Africa Fertilizer	Herbicide for pre- and post-emergence control of annual broadleaf weeds and grasses in sugarcane, bananas and pineapples
MW/PCB/2013/0431	Beta-Cyfluthrin 2.5% EC	<i>Beta-Cyfluthrin 25g/L</i>	Tagros Chemicals	Africa Fertilizer	Insecticide
MW/PCB/2013/0432	Dichlorvos 100% EC	<i>Dichlorvos 1, 000g/L</i>	Tagros Chemicals	Africa Fertilizer	Insecticide for the control of insect pests on various crops, ornamentals and cut flowers as well as in public health.
MW/PCB/2013/0433	Net Protect	<i>Deltamethrin 1.8g/Kg</i>	Best Net A/S	Health Net Ltd	Insecticide Impregnated net.
MW/PCB/2013/0434	Baygon Multi Insect Kill Extra Odourless	<i>Prollethrin 0.34g/Kg + Imiprothrin 0.40g/Kg + Tetramethrin 2.0g/Kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for use in public health to control various crawling and flying insects e.g. mosquitoes, flies, cockroaches, ants, crickets, fishmoths and bedbugs.
MW/PCB/2013/0435	Baygon Crawling Insect Killer	<i>Imiprothrin 1.0g/Kg + Cypermethrin 1.04g/Kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide used in Public Health for the control of cockroaches, ants, fleas, hide and skin beetles, fishmoths and crickets.
MW/PCB/2013/0436	Baygon Mosquito Coil	<i>D-Allethrin 2g/Kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of mosquitoes.
MW/PCB/2013/0437	Baygon Mosquito Mats	<i>D-Allethrin 40mg/mat+ Piperonyl butoxide 9mg/mat</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of mosquitoes.
MW/PCB/2013/0438	Baygon Multi Insect Killer	<i>Imiprothrin 50% + Tetramethrin 92% + Prallethrin 92%</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for use in Public Health to control various crawling and flying insects.
MW/PCB/2013/0439	Baygon Lasting Kill Extra Aerosol	<i>Imipothrin 1.0g/kg+ Deltamethrin 0.51g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling insects (cockroaches and Ants).
MW/PCB/2013/0440	Raid Mik House and Garden	<i>Imiprothrin 0.34g/kg+ Tetramethrin 2.0g/kg+ Prallethrin 0.40g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of malaria mosquitoes.

MW/PCB/2013/0441	Raid Mult Insect Killer Dual Purpose Extra	<i>Imiprothrin 0.34g/kg+ Tetramethrin 2.0g/kg + Prallethrin 0.40g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling and flying insects (mosquitoes, cockroaches, ants, crickets, fleas, fishmoths, flies and bedbugs).
MW/PCB/2013/0442	Raid Mult Insect Killer	<i>Tetramethrin 92% + Prallethrin 92%</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of flying and crawling insects.
MW/PCB/2013/0443	Raid Max Ant Specialist Killer Aerosal	<i>Imiprothrin 1.05g/kg+ Cypermethrin 1.04g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of ants.
MW/PCB/2013/0444	Raid Mosquito Coil	<i>D Allethrin 2g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of mosquitoes.
MW/PCB/2013/0445	Raid Mik Dual Purpose Low Odour Purpose Aerosal	<i>Tetramethrin 2.0g/kg + Imiprothrin0.34g/kg+ Prallethrin 0.40g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling and flying insects (mosquitoes, cockroaches, ants, flies, bed bugs, fleas, crickets, fish moths).
MW/PCB/2013/0446	Raid Crawling Insect Killer Superfast Odourless Aerosal	<i>Imiprothrin1.0g/kg+Cypermethrin 1.04g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling insects.
MW/PCB/2013/0447	Raid Crawling Insect Killer Superfast	<i>Imiprothrin1.0g/kg+Deltamethrin 0.51g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling insects.
MW/PCB/2013/0448	Raid Power Mats	<i>D'allethrin40mg/mat+Piperonyl Butoxide 9mg/mat</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of mosquitoes for up to 14 hours.
MW/PCB/2013/0449	Raid Max Cockroaches Specialist Killer Aerosal	<i>Imiprothrin 1.0g/kg+Deltamethrin 0.51g/kg</i>	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of cockroaches and the their eggs..
MW/PCB/2013/0450	Carbarly 85WP	<i>Carbarly 850g/Kg</i>	Cure Chem Overseas + Africa Fert	Africa Fertilizer Company	Insecticide for the control of various pests on crops, lawns, skins and hides and for thinning of certain apple varieties.
MW/PCB/2013/0451	Copper Oxychloride 85WP (Copcure)	<i>Copper Oxychloride 850g/Kg</i>	Cure Chem Overseas + Africa Fert	Africa Fertilizer Company	Fungicide for the control of early and late blight in vegetables and potatoes; dumping off, root rots, and stem rots in tobacco seedlings and vegetable seedlings.

MW/PCB/2013/0452	Mancozeb 80 (Curethane)	<i>Mancozeb 800g/Kg</i>	Cure Chem Overseas	Africa Fertilizer Company	Fungicide to control early and late blight on tomatoes and potatoes .
MW/PCB/2013/0453	Metolachlor 960 EC	<i>Metolachlor (Chlorocertanilide) 960g/L</i>	Cure Chem Overseas + Africa Fert	Africa Fertilizer Company	Herbicide for weed control in maize, beans, sunflower and sugarcane
MW/PCB/2013/0454	Metribuzin 480SL	<i>Metribuzin 480g/L</i>	Cure Chem Overseas + Africa Fert	Africa Fertilizer Company	Herbicide for the control of a variety annual broadleaf weeds and grasses in transplanted tomatoes, potatoes, sugarcane and lucerne
MW/PCB/2013/0455	Acetochlor 90EC	<i>Acetochlor 900g/L (herbicide)</i>	Cure Chem Overseas	Africa Fertilizer Company	Herbicide for the control of annual grasses and certain broad leaf weeds.
MW/PCB/2013/0456	Glyphosate 480 SL (Glyphocure)	<i>Glyphosate 480g/L</i>	Cure Chem Overseas	Africa Fertilizer Company	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2013/0457	Dimethoate 40EC	<i>Dimethoate 400g/L (Insecticide)</i>	Cure Chem Overseas	Africa Fertilizer Company	Insecticide for the control of a wide range of pests for various crops .
MW/PCB/2013/0458	Chlopyriphos 48EC	<i>Chlopyriphos 480g/L</i>	Cure Chem Overseas	Africa Fertilizer Company	Insecticide used on cotton, horticultural crops and armyworm control.
MW/PCB/2013/0459	Aluminium Phosphide 56%Tablet (Fumate)	<i>Aluminium Phosphide 560g/Kg</i>	Cure Chem Overseas	Africa Fertilizer Company	Fumigant Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc.
MW/PCB/2013/0460	Beta-Cyfluthrin 5% EC	<i>Beta-Cyfluthrin 50g/L</i>	CropChem	Africa Fertilizer Company	Insecticide for the control of cutworms, aphids, whiteflies, leafminer, borers, thrips, beetles, armyworm, Russian wheat aphids, moths, caterpillars, Diamond back moth, mealybugs and scale

MW/PCB/2013/0461	Pendimethalin 50%EC	<i>Pendimethalin 500g/L</i>	CropChem	Agro-Chem	Herbicide for pre-emergence control of annual grasses and some broadleaf weeds in sugarcane, maize, cotton and soyabeans.
MW/PCB/2013/0462	Cypermethrin 20%EC	<i>Cypermethrin 200g/L</i>	CropChem	Agro-Chem	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2013/0463	Pirimiphos-Methyl 50% EC	<i>Pirimiphos-methyl 500g/L</i>	CropChem	Agro-Chem	Insecticide for use on stored grain against weevils and flour beetles in maize, rice and wheat.
MW/PCB/2013/0464	Acetochlor 90% EC	<i>Acetochlor 900g/L (herbicide)</i>	CropChem	Agro Chem	Herbicide for the control of annual grasses and some broadleaf weeds in maize and sugarcane.
MW/PCB/2013/0465	Imidacloprid 70%WG	<i>Imidacloprid 700g/Kg</i>	CropChem	AgroChem	Insecticide to control aphids and whitefly nymphs on Roses; aphids, thrips, whiteflies, leaf miner on tomatoes; bean flower thrips on french beans; aphids, thrips, whiteflies, leaf beetles and weevils on Tobacco.
MW/PCB/2013/0466	Metam Sodium 51% SL	<i>Metam Sodium 510g/L</i>	CropChem	AgroChem	Soil fumigant for the control of certain soil fungi, nematodes and germinating weed seeds in seed beds, horticultural and agricultural soils.
MW/PCB/2013/0467	Oxamyl 31% SL	<i>Oxamyl 310g/L</i>	CropChem	AgroChem	Insecticide/ Acaricide/Nematicide for the control of broad spectrum of insects, mites, ticks, round worms in potatoes, tobacco, tomatoes, bananas and sugarcanes and the reduction of aphids in potatoes.

MW/PCB/2013/0468	Aluminium Phosphide	<i>Aluminium Phosphide 560g/Kg</i>	CropChem	AgroChem	Fumigant Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc.
MW/PCB/2013/0469	Chlorothalonil 72% SC	<i>Chlorothalonil 720g/L</i>	Snow International	Fordhani	Fungicide for the control of coffee berry disease in coffee.
MW/PCB/2013/0470	Chlopyriphos 48EC	<i>Chlorpyrifos 480g/L</i>	Snow International	Fordhani	Insecticide used for the control of black maize beetle on maize and potatoes; army worm in pastures; cutworms, wireworms in tobacco and potatoes; bed bugs also used to control flies and mosquitoes.
MW/PCB/2013/0471	Malathion 50% EC	<i>Malathion 500g/L</i>	Snow International - Fordhani	Fordhani	Insecticide for the control of various types of insect pests in vegetables, sweet potatoes, beans, peas, rice, cotton and fruit trees.
MW/PCB/2013/0472	Mancozeb 80% WP	<i>Mancozeb 800g/Kg</i>	Snow International	Fordhani	Fungicide for the control of a wide range of fungal diseases on a variety of crops such as potatoes, tomatoes, vegetables, fruits, roses and other crops.
MW/PCB/2013/0473	Aluminium Phosphide 56%TB	<i>Aluminium Phosphide 560g/Kg</i>	Snow International	Fordhani	Fumigant/ Insecticide for the control of insect pests, mites and rodent that attack food grains and packed commodities.
MW/PCB/2013/0474	Pendimethalin 33%EC	<i>Pendimethalin 330g/L</i>	Snow International	Fordhani	Herbicide for pre and post-emergence control of most annual grasses and certain broadleaf weeds in maize, groundnuts, soybeans, sunflower, transplanted cabbage, broccoli, potatoes, tobacco, onions and cotton.

MW/PCB/2013/0475	Deltamethrin 10%EC	<i>Deltamethrin 100g/L</i>	Snow International	Fordhani	Insecticide/ Acaricide used to control cutworms in all crops; American bollworm in beans, groundnuts and peas; bollworms and stainers in cotton; Chilo stalkborer in maize; army worm in cereal crops and grass pastures.
MW/PCB/2013/0476	Dimethoate 40% EC	<i>Dimethoate 400g/L (Insecticide)</i>	Snow International	Fordhani	Insecticide for the control of aphids in vegetables, tobacco and fruits; rice stemborer and plant hoppers in rice; mites, aphids and white flies in cotton; leafminers, whitefly, red spider and mites in cereals.
MW/PCB/2013/0477	Imidacloprid 20%SL	<i>Imidacloprid 200g/L</i>	Snow International	Fordhani	Insecticide for the control of sucking, chewing and soil pests in cotton, coffee, vegetables and other crops.
MW/PCB/2013/0478	Fabulin Forte EC	<i>Butralin 180g/L + Flumethalin 125g/L</i>	Farm Ag International (Pty) Ltd	Farmers Organisation	Plant growth Regulator used as a tobacco desuckeride.
MW/PCB/2013/0479	Glyphosate Acid 369g/L SL	<i>Glyphosate 360g/l</i>	Chanrai International SA	Afri Ventures Blantyre LTD	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2013/0480	Strongarm 840WG	<i>Diclosulam 840g/Kg</i>	Dow AgroSciences South Africa	Farmers Organisation	Herbicide for the control of weeds in soyabeans.
MW/PCB/2013/0481	Gallant Super	<i>Haloxifop - R Methyl Ester 108g/L</i>	Dow AgroSciences South Africa	Farmers Organisation	Herbicide for the control of narrow-leaved weeds in onions, sugar beet and canola.
MW/PCB/2013/0482	Runner 240SC	<i>Methoxyfenoziide 240g/L</i>	Dow AgroSciences South Africa	Farmers Organisation	Insect Growth Regulator for controlling lepidoptera insect species (moth and butterflies) including leafminer.

MW/PCB/2013/0483	Delegate 250WG	<i>Spinetoram 250WG</i>	Dow AgroSciences South Africa	Farmers Organisation	Insecticide for the control of codling moth, leafminer, army worm, thrips, bollworm, cutworms, in vegetables, fruits, soyabeans and a variety of other crops.
MW/PCB/2013/0484	Stellar Star SL	<i>Dicamba 160g/L + Topramezone 50g/L</i>	BASF SE	Farmers Organisation	Herbicide for the control of broadleaf weeds and grasses in sugarcane and maize.
MW/PCB/2013/0485	Integrity EC	<i>Saflufenacil 68g/L + Dimethanamid-P 600g/L</i>	BASF SE	Farmers Organisation	Herbicide for the control of broadleaf weeds and grasses in sugarcane and maize.
MW/PCB/2013/0486	Parabat 500EC	<i>Pendimethalin 500g/L (dinitroaniline)</i>	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre-emergence control of annual grasses and certain broadleaf weeds, certain grass species in cotton, groundnuts, kidneybeans, drybeans, sunflowers, soyabeans, potatoes, tobacco and sugarcane. WHO CLASS III
MW/PCB/2014/0487	Attack Multi Purpose Insect Killer	<i>Cypermethrin 0.4%w/w + Fenitrothion 1.2%w/w + Tetramethrin 0.4%w/w</i>	Anchor Allied Factory Ltd	Karim Wholesalers	Insecticide for the control of household crawling and flying insects.
MW/PCB/2014/0488	Deltamethrin 2.8% EC	<i>Deltamethrin 28g/L</i>	Excel Crop Care LTD	Agro Chem	Insecticide used for the control of bollworms and sucking insects in cotton; thrips in tea; leafminer in g/nuts; fruitborers and heliothis and spodoptera in chilli.
MW/PCB/2014/0489	Profenofos + Cypermethrin EC	<i>Profenofos 400g/L + Cypermethrin 40g/L</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of bollworms in cotton.
MW/PCB/2014/0490	Profenofos 50EC	<i>Profenofos 500g/L</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of bollworm, jassids, aphids, thrips and whiteflies in cotton.

MW/PCB/2014/0491	Lambda-Cyhalothrin 5% EC	<i>Lambda-Cyhalothrin 50g/l</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, in various crops.
MW/PCB/2014/0492	Cypermethrin 25%EC	<i>Cypermethrin 250g/L</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of bollworms, stainers, jassids, whitefly and leafeaters in cotton; bollworms and larvae thrips in cruciferae; stinkbugs in macademias; cutworms in tobacco and bollworms in tomatoes.
MW/PCB/2014/0493	Imidacloprid 20%SL	<i>Imidacloprid 200g/L</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of coffee leaf miner (soil drenching); for use on ornamentals to control whiteflies, aphids and thrips and for use in agroforestry nurseries and trees against termites and soil pests.
MW/PCB/2014/0494	Glyphosate IPA Salt 48%SL	<i>Glyphosate 480g/l</i>	Excel Crop Care LTD	Agro Chem	Herbicide for the control of weeds in tomatoes, tea, coffee, sugarcane, soyabeans, tobacco, g/nuts and cereals.
MW/PCB/2014/0495	Glyphosate 71% SG	<i>Glyphosate 710g/Kg</i>	Excel Crop Care LTD	Agro Chem	Herbicide for post-emergence control against deep rooted perennial species and also biennial and annual broadleaved grass and sedge species. It is also used in non agricultural areas such as water systems, parks and gardens.
MW/PCB/2014/0496	Imidacloprid 70%WDG	<i>Imidacloprid 700g/Kg</i>	Excel Crop Care LTD	Agro Chem	Insecticide for the control of aphids, thrips, whiteflies, termites, soil insects and some beetles on maize, potatoes, vegetables, cotton and rice. It is also used for seed or soil treatment.

MW/PCB/2014/0497	Sulphur 800WDG	<i>Sulphur 800g/Kg</i>	Excel Crop Care LTD	Agro Chem	Fungicide / Acaricide for the control of peanut leafspot; mildew on roses; mites on beans, carrots and tomatoes.
MW/PCB/2014/0498	Aluminium Phosphide 57%	<i>Aluminium Phosphide 570g/Kg</i>	Excel Crop Care LTD	Agro Chem	Fumigant/ Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses etc
MW/PCB/2014/0499	Imidacloprid 350SC	<i>Imidacloprid 350g/L</i>	Dogal	Agricultural Trading Co.	Insecticide for the control of leaf louse, whitefly and green leafhopper in cotton; green peach aphids, wire worm and whitefly in tomatoes.
MW/PCB/2014/0500	Spinosad 48% SC	<i>Spinosad 480g/L</i>	Dogal	Agricultural Trading Co.	Insecticide for the control of bollworm, beet armyworm and cotton worm in cotton; leafminers in vegetables; leafminer and Egyptian cotton worm in green house tomatoes.
MW/PCB/2014/0501	Paraquat 20% SL	<i>Paraquat Dichloride 200g/L</i>	Dogal	Agricultural Trading Co.	Herbicide/Crop Desiccant for the control of annual and perennial grasses and broadleaf weeds.
MW/PCB/2014/0502	Glyphosate 48% SL	<i>Glyphosate 480g/L</i>	Dogal	Agricultural Trading Co.	Herbicide for post-emergence control of perennial and annual weeds in agriculture and industrial areas.
MW/PCB/2014/0503	Acetamiprid 20% SL	<i>Acetamiprid 200g/L</i>	Dogal	Agricultural Trading Co.	Insecticide for the control of cotton aphids.

MW/PCB/2014/0504	Ethephon 480SL	Ethephon 480g/L	Dogal	Agricultural Trading Co.	Plant growth Regulator for acceration of colour change and helps maintain uniform harvest in tomatoes; it promotes opening of bolls and maintains uniform harvest in cotton; it also increases sucrose content in sugarcane.
MW/PCB/2014/0505	Imidacloprid 600FS	Imidacloprid 600g/L	Dogal	Agricultural Trading Co.	Insecticide for the control of potato beetle and wireworm in potatoes, wireworm in corn; wireworm, millipedes, springtails and flea beetles in sugarbeet.
MW/PCB/2014/0506	Fenamiphos 400EC	Fenamiphos 400g/L	Dogal	Agricultural Trading Co.	Insecticide for the control of rootnot nematodes in tomatoes and tobacco and tobacco spider mite.
MW/PCB/2014/0507	Deltamethrin 2.5%EC	Deltamethrin 25g/L	Dogal	Agricultural Trading Co.	Insecticide for the control of corn stalkborer; whitefly, bollworms, cutworms, bean weevil, aphids and green stinkbug in vegetables; leafminers in fruits.
MW/PCB/2014/0508	Dimethoate 40% EC	Dimethoate 400g/L (Insecticide)	Dogal	Agricultural Trading Co.	Insecticide for the control of leafhoppers, lygus bugs, bedbugs and aphids in cotton; aphids in potatoes and vegetables; leafhoppers and green vegetable bugs in soyabeans.
MW/PCB/2014/0509	Abamectin 1.8% EC	Abamectin 18g/l,	Dogal	Agricultural Trading Company	Insecticide/Acaricide for the control of two-spotted spider mite in tomatoes and cotton; spidermite in cotton .
MW/PCB/2014/0510	Mancozeb 64%+ Metalaxyl 8% WP	Mancozeb 640g/kg + Metalaxyl 80g/Kg	Dogal	Agricultural Trading Co.	Fungicide for thje control of late blight and downy mildew in tomatoes and cucurbits; bluemould, brown spot, frog eye leafspot in tobacco seedbed/ field.

MW/PCB/2014/0511	Copper Oxychloride 50%WP	Copper Oxychloride 500g/Kg	Dogal	Agricultural Trading Co.	Fungicide for the control of early and late blight in vegetables and potatoes; dumping off, root rots, and stem rots in tobacco seedlings and vegetable seedlings.
MW/PCB/2014/0512	Shumba Supermax Dust	Pirimiphos Methyl 10g/Kg + Deltamethrin 1.3g/Kg	EcoMark LTD	Mpatsa Trading	Insecticide for use against weevils, larger grain borer, lesser grain borer, moths and dried been beetle.
MW/PCB/2014/0513	Dettamax 2.5% WP	Deltamethrin 25g/Kg	AHL Chemicals and Steel Co. Ltd	Agricultural Trading	Insecticide for the control of bollworms in cotton, soya, beans, paprika and vegetable crops.
MW/PCB/2014/0514	Mancozeb 80% WP	Mancozeb 800g/Kg	Dogal	Agricultural Trading Co.	Fungicide to control early and late blight in tomatoes, potatoes and eggplants; tobacco blue mold; dumping off, root rots and stem rots in seedlings.
MW/PCB/2014/0515	Imidacloprid 70% WG	Imidacloprid 700g/Kg	Dogal	Agricultural Trading Co.	Insecticide for the control of aphids and tobacco slug in tobacco; whitefly nymphs in tomatoes; aphids in cotton; and aphids in cucurbits and cruciferae.
MW/PCB/2014/0516	Lambda - Cyhalothrin 5% EC	Lambda Cyhalothrin 50g/L	Dogal	Agricultural Trading Co.	Insecticide for the control of tomato fruit worm; cutworms and stalkborers in maize; aphids, bollworms and red spider mites in cotton; cabbage moths; colorado potato beetle and bollworm in soya.
MW/PCB/2014/0517	Chlorpyrifos 48% EC	Chlorpyrifos 480g/L	Dogal	Agricultural Trading Co.	Insecticide used for the control of corn borer; leaf louse and leaf worm in cotton; Colorado potato beetle, green worm, whitefly and jumpin plant louse in vegetables.
MW/PCB/2014/0518	Abamectin 1.8% EC	Abamectin 18g/l,	Snow International	Fordhani	Insecticide for the control of motile, mites, thrips, leafminer in roses, carnation, french beans and tomatoes.

MW/PCB/2014/0519	Metalaxyl+Mancozeb 640g/Kg WP	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	Snow International	Fordhani	Fungicide for the control of foliar and root diseases of potatoes and tomatoes, and downy mildew of ornamental crops.
MW/PCB/2014/0520	Ethephon 480SL	Ethephon 480g/L (ethylene generator)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Plant growth Regulator for use on sugarcane, pineapples and citrus. WHO CLASS IV
MW/PCB/2014/0521	Volley 125EC	Fluazifop-p-butyl 125g/L (aryloxyphenoxypropionate)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Selective systemic herbicide for post-emergence control of annual and perennial grasses in a variety of crops. Also used for ripening and eradication of sugarcane and also for the suppression of seeding and grass growth on verges. WHO CLASS III
MW/PCB/2014/0522	Bandit 350SC	Imidacloprid 350g/L (neonicotinoid)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Systemic insecticide for the control of insect pests on citrus, cotton, potatoes, cucurbits, apples and tobacco as well as for the suppression of thrips on sugarcane. WHO CLASS III
MW/PCB/2014/0523	Allice 20SP	Acetamiprid 200g/L SP (neonocotinoid)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Systemic Insecticide with contact and stomach action for the control of aphids in cotton and citrus; thrips in citrus and sugarcane; mealybug and red scale in citrus. WHO CLASS III
MW/PCB/2014/0524	Dinamic 700WG	Amicarbazone 700g/Kg WG (triazolinone)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for pre- and post-emergence control of certain broadleaf and grass weeds as well as suppression of yellow nutsedge in sugarcane. WHO CLASS III

MW/PCB/2014/0525	Cyprex 750WG	Halosulfuron-methyl 750g/Kg (sulfonyl urea)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Herbicide for post-emergence control of nutsedge and certain broadleaf weeds in maize, sugarcane, sorghum and citrus. WHO CLASS III
MW/PCB/2014/0526	Glyphosate 510SL	Glyphosate 510g/L	Farm Ag International (Pty) Ltd	Farmers Organisation	Herbicide for the control of annual and perennial grasses and broadleaf weeds as well as certain woody noxious weeds .
MW/PCB/2014/0527	Thiamethoxam 25% WDG	Thiamethoxam 250g/kg	Snow International	Fordhani	Insecticide for the control of sucking & some chewing insects in vegetables and fruits, and leaf miner in coffee; For use on Tobacco to control aphids, and beetles; aphids, thrips, whiteflies and leaf hopper in cotton.
MW/PCB/2014/0528	Lambda-Cyhalothrin 5% EC	Lambda-Cyhalothrin 50g/l	Snow International	Fordhani	Insecticide for use in cotton, vegetables, flowers, corn, cushew, coconuts etc against sucking pests.
MW/PCB/2014/0529	Quazalofop-p-Tefuryl EC	Quazalofop-p-Tefuryl 40g/L	Snow International	Fordhani	Herbicide for the control of grass weeds in broadleaf crops.
MW/PCB/2014/0530	Glyphosate 480 SC	Glyphosate 480g/L	Snow International	Fordhani	Herbicide for the control of annual and perennial grasses and broadleaf weeds in agricultural and horticultural crops.
MW/PCB/2014/0531	Allbuff SL	Organic buffer system and alcohol ethoxylate 440.8 g/l	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net	Adjuvant. A PH buffer for increasing the efficiency of PH sensitive agricultural chemicals and improving the wetting and spreading properties of spray mixtures. WHO CLASS IV
MW/PCB/2014/0532	Canine Plus WP	Fenitrothion 10g/Kg + Deltamethrin 1.3g/Kg	Snow International	Fordhani	Insecticide used as a grain and cereal protectant.

MW/PCB/2014/0533	Snow Lucos WP	Metarhizium Anisopliae Spores CFU count of 1x10 ⁸ /g	Snow International	Fordhani	Insecticide for the control of termites, root grubs, locusts, root weevils, ants, beetles and caterpillars in cereals, millets, oilseeds, vegetables, orchards and ornamentals.
MW/PCB/2014/0534	Mangle SC	Maneb 435g/L + Zinc Oxide 4.7g/L	Arysta LifeScience	Farmers Organisation	Fungicide for the control of fungal diseases on apples, apricots, pears, grapevines, peaches, potatoes, plums, beans (dry and green), groundnuts, tomatoes, onions and citrus.
MW/PCB/2014/0535	Solignum Medium Brown Exterior	Creosote oil 1082g/L	Protim Solignum LTD	DEEKAY Suppliers Ltd	Insecticide used as a wood preservative against termites and other boring insects.
MW/PCB/2014/0536	Solignum Soil Guard	Cypermethrin 27.7g/L + Termul 5.00g/L	Protim Solignum LTD	DEEKAY Suppliers Ltd	Insecticide used to treat soil below and adjacent to buildings to control attack of building timbers by subterranean termites.
MW/PCB/2014/0537	Atrazine 50% SL	Atrazine 500g/L	Nantong Foreign Trade	Afri Ventures Blantyre LTD	Herbicide for the control of annual broadleaved weeds and annual grasses pineapple, millet, yam, maize, sorghum and sugarcane.
MW/PCB/2014/0538	Paraquat 20% SL	Paraquat Dichloride 276g/L	Nantong Foreign Trade	Afri Ventures Blantyre LTD	Herbicide for the pre-emergence control of annual and perennial weeds. Also useful in defoliation and desiccation of cotton.
MW/PCB/2014/0539	Acephate 75%SP	Acephate 750g/Kg	Meghmani Organics Ltd	Afri Ventures Blantyre LTD	Insecticides for the control of jassids and bollworms in cotton; and aphids in sunflower.
MW/PCB/2014/0540	Cypermethrin 20% EC	Cypermethrin 200g/L	Meghmani Organics Ltd	Afri Ventures Blantyre LTD	Insecticide for the control of bollworms in cotton; American bollworm in maize, groundnuts and sorghum and tomatoes and cutworms in all crops.

MW/PCB/2014/0541	Chlorpyrifos 20 EC	Chlorpyrifos 200g/L	Meghmani Organics Ltd	Afri Ventures Blantyre LTD	Insecticide used on cotton, horticultural crops, armyworm control.
MW/PCB/2014/0542	Triclopyr Butoxy Ethyl Ester 48%	Triclopyr Butoxy Ethyl Ester 480g/L	Meghmani Organics Ltd	Afri Ventures Blantyre LTD	Herbicide for the control of thistles, nettles and docks in established grassland.
MW/PCB/2014/0543	2, 4-D Amine Salt 575 SL	2, 4-D Acid 575g/L	Meghmani Organics Ltd	Afri Ventures Blantyre LTD	Herbicide for pre- and post-emergence control of certain broadleaf weeds, including aquatic weeds. Also used as a plant regulator to prevent premature fruit fall in citrus fruit.
MW/PCB/2014/0544	Profenofos 720g/L EC	Profenofos 720g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide/ Acaricide for the control of American bollworm, loopers, aphids, thrips and red spider mites in cotton.
MW/PCB/2014/0545	Cypermethrin 20% EC	Cypermethrin 200g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of cutworms, whitefly, cabbage moths and termites in various crops.
MW/PCB/2014/0546	Profenofos + Cypermethrin EC	Profenofos 500g/L + Cypermethrin 50g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide /Acaricide used for the control of foliar insects, sucking insects, beetles, caterpillars, mealybugs, grasshoppers, locusts and for public health.
MW/PCB/2014/0547	Lambda-Cyhalothrin 5% EC	Lambda-Cyhalothrin 50g/l	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of red, spiny and heliothis bollworms and certain other pests in cotton; cutworm in all crops excluding cotton and armyworm on pasture.
MW/PCB/2014/0548	Profenofos 500EC	Profenofos 500g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide/ Acaricide for the control of American bollworm, loopers, aphids, thrips and red spider mites in cotton.
MW/PCB/2014/0549	Matrix Plus EC	Acetamiprid 150g/L + Cypermethrin 50g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide used to control sucking insects in tomatoes, potatoes, cotton, coffee and vegetables.

MW/PCB/2014/0550	Mupathion 50 EC	Malathion 500g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of coleoptera, homoptera, lepidoptera and diptera in cotton, cereals and vegetables.
MW/PCB/2014/0551	Dimethoate 40% EC (Dume 40EC)	Dimethoate 400g/L (Insecticide)	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of aphids, mites and whitefly in cotton; white flies, leafminer, jassids and mites in cereals and aphids in tobacco.
MW/PCB/2014/0552	Abamectin 1.8% EC (Mectin 1.8EC)	Abamectin 18g/L,	Xgenta HongKong Ltd	Export Trading Co. Limited	Insecticide/Miticide for the control of motile mites, thrips, leafminer in roses, beans and tomatoes.
MW/PCB/2014/0553	Deltamethrin 2.5 EC (Delto 250EC)	Deltamethrin 25g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of coleoptera, homoptera, lepidoptera; cotton, cereal and vegetable pests.
MW/PCB/2014/0554	Metolachlor 960 EC	Metolachlor 960g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Herbicide for weed control in maize, beans, sunflower and sugarcane.
MW/PCB/2014/0555	Chlorothanil (Rova 720SC)	Chlorothalonil 720g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Fungicide for the control of coffee berry disease in coffee; early and late blight in tomatoes and potatoes; downy mildew in blasca and leaf rust in beans.
MW/PCB/2014/0556	Aceta 22.2 SL	Acetamiprid 222g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for the control of aphids, diamond back moth and leafhoppers in cotton.
MW/PCB/2014/0557	Gyphosate 48% SL (SWEEP 480SL)	Gyphosate 480g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Non-selective foliar Herbicide for the control of annual and perennial weeds in agricultural, non-crop conservation and industrial areas.
MW/PCB/2014/0558	Chlorothanil(Rova 500 SC)	Chlorothalonil 500g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Fungicide for the control of fungal diseases i.e blight on cashew nuts, coffee berry disease; early and late leafblight on tomatoes and potatoes.

MW/PCB/2014/0559	Paraquat 20% SL (Paraquet)	Paraquat 200g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Herbicide for the pre-emergence control of annual and perennial weeds. Also useful in defoliation and desiccation of cotton.
MW/PCB/2014/0560	Copex 50% WP	Copper Oxychloride 500g/Kg	Xgenta HongKong Ltd	Export Trading Co. Ltd	Fungicide for the control of fungal diseases on field crops including citrus.
MW/PCB/2014/0561	Mancozeb 80WP	Mancozeb 800g/Kg	Xgenta HongKong Ltd	Export Trading Co. Ltd	Fungicide to control early and late blight on tomatoes and potatoes; anthracnose and leaf spot in tomatoes.
MW/PCB/2014/0562	Xanbac D TM 200EC	Dichlorophen 200g/L	Nulandis	Farmers Organisation	Fungicide/Bacteriacide for the control of root rot in beans; leafspot in ground nuts; angular leafspot in cotton; stem canker in potatoes and alga in hydroponic solutions; white bulbrot and pink root in onions and garlic.
MW/PCB/2014/0563	Epicure SL	Abamectin 4g/l,	Oro Agric SA	Farmers Organisation	Insecticide/Miticide to control Red spider mite and American leaf miner on tomatoes; rad spider mite on peaches and nectarines
MW/PCB/2014/0564	Orosorb SL	Borax 10g/L + Orange Oil 50g/L	Oro Agric SA	Farmers Organisation	Adjuvant used to reduce surface tension of water, producing micro droplets of the mixture when sprayed.
MW/PCB/2014/0565	Prev - Am SL	Borax 10g/L + Orange Oil 50g/L	Oro Agric SA	Farmers Organisation	Fungicide/ Insecticide for the control of insects, mites, whiteflies, leafhoppers, aphids and downy mildew, powdery mildew.
MW/PCB/2014/0566	Isomate F C M (Liquid encapsulated in a tube)	E-8-Dodecenyl Acetate 166.8mg/dispenser + Z-8-Dodecenyl Acetate 70.8mg/dispenser +E/Z-8-Dodecenol 2.4mg/dispenser =240mg	Nulandis	Farmers Organisation	Pheromone for mating disruption of the male moths of the false coding moth (FCM), thereby preventing them from tracing female moths for mating and also for use in citrus orchards.

MW/PCB/2014/0567	Permanet 2.0	<i>Deltamethrin 1.8g/Kg (55mg/m²)</i>	Vestergard Group S.A. -	Nankhwirinji Company LTD	Insecticide impregnated net for the control of adult mosquitoes in public health.
MW/PCB/2014/0568	Cypermethrin 20EC	<i>Cypermethrin 200g/L</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2014/0569	Deltamethrin 2.5EC	<i>Deltamethrin 25g/L</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes.
MW/PCB/2014/0570	Mancozeb 80WP	<i>Mancozeb 800g/Kg</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Fungicide to control early and late blight on tomatoes and potatoes.
MW/PCB/2014/0571	Metribuzin 70WP	<i>Metribuzin 700g/Kg</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Herbicide for the control of a variety annual broadleaf weeds and grasses in transplanted tomatoes, potatoes, sugarcane and lucerne
MW/PCB/2014/0572	Cypermethrin + Chlorpyrifos	<i>Cypermethrin 350g/L+ Chlorpyrifos 100g/L</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of lepidoptera insect pests (moth and butterfly) in soyabeans and other crops.
MW/PCB/2014/0573	Acephate 75 SP	<i>Acephate 750g/Kg</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of thrips, leaf miner and leaf chewing insects on Roses and tobacco.
MW/PCB/2014/0574	Copper Oxchloride	<i>Copper Oxchloride 500g/Kg</i>	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Fungicide for the control of early and late blight in vegetables and potatoes; dumping off, root rots, and stem rots in tobacco seedlings and vegetable seedlings.
MW/PCB/2014/0575	Lambda Cyhalothrin 5%EC (Lambdacure)	<i>Lambdacyhalothrin 50g/L</i>	Cure Chem Overseas + Africa Fert		Insecticide for the control of chewing and sucking insects i.e. American bollworm, spiny bollworm, red bollworm and cotton stainers, aphids, e.t.c. in various crops.

MW/PCB/2014/0576	Perfactor 175 SC	<i>Imidacloprid</i> 125g/L + <i>LambdaCyhalothrin</i> 50g/L	DVA Agro GMBH	Farmers Organisation Ltd	Insecticide for the control of bollworms, aphids, leafworms, stainers and sucking pests in cotton, maize and vegetable crops.
MW/PCB/2014/0577	Tanalith C Oxide Liquor LC	<i>Copper Oxide</i> + <i>Arsenic Acid</i>	ARCH Wood Protection (SA) (PTY) Ltd	Farmers Organisation Ltd	Insecticide/Fungicide used for wood protection against auger beetles, powder post beetles, pinhole beetles, furniture beetles; termites including drywood, subterranean and giant termites and protection from fungal decay.
MW/PCB/2014/0578	DDVP (Dichlorovos 500g/L	Dichlorovos 500g/L	Snow International	Fordhani Limited	Insecticide for the control of bollworms in cotton; semi loopers in groundnuts; semi loppers and borers in tomato; pyrilla in sugarcane; semi loopers, borers and diamond back moth in vegetables; household pests i.e. coachroaches, snails and weevils
MW/PCB/2014/0579	Acetochlor 900EC	Acetochlor 900g/L	Snow International	Fordhani Limited	Herbicide for pre-emergence control of annual grasses, broadleaved weeds and yellow nutsedge on sugarcane.
MW/PCB/2014/0580	Paraquat 200g/L	Paraquat 200g/L	Snow International	Fordhani Limited	Herbicide for the control of annual grasses and broadleaf weeds in potatoes, vegetables, sugarcane, bananas, tea, coffee, citrus, avocados, papayas, pelicans, vineyards and lucerne.
MW/PCB/2014/0581	Primal 125EC (Flumetralin)	Flumetralin 125g/l	Avima pty Ltd	Chemical Worlds	Plant growth Regulator for the control of tobacco suckers.
MW/PCB/2014/0582	Primal Plus	Flumetralin 125g/l + Butralin180g/L	Avima pty Ltd	Chemical World	Plant growth Regulator for the control of tobacco suckers.
MW/PCB/2014/0583	N-Decanol 79EC	N-Decanol (C10) 790g/l	Cure Chem India	Africa Fertilizer	Plant growth Regulator for the control of tobacco suckers.

MW/PCB/2014/0584	Dichlorvos 100 EC	Dichlorvos 100g/L	Cure Chem India	Africa Fertilizer	Insecticide for the control of bollworms in cotton; semiloopers in groundnuts; semiloopers and borers in tomato; pyrilla in sugarcane; semiloopers, borers and diamond back moth in vegetables; household pests e.e. coachroaches, snails and weevils.
MW/PCB/2014/0585	Acetochlor 900 EC	Acetochlor 900g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Herbicide for the control of annual grasses and certain broad leaf weeds.
MW/PCB/2014/0586	Zeta-Cypermethrin 10EC	Zeta-Cypermethrin 100g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide for controlling beetles, aphids and various lepidopterous insects.
MW/PCB/2014/0587	Diazinon 60EC	Diazinon 600g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Insecticide/Acaricide/Nematicide for the control of animal ecto parasites e.g scabs, fly strike, lice, ticks and other ecto parasites in cattle and sheep. coachroaches in houses and other dwellings.
MW/PCB/2014/0588	Atrazine 500SC	Atrazine 500g/L	Xgenta HongKong Ltd	Export Trading Co. Ltd	Herbicide which kills annual broadleaf weeds and grasses at emergence, before and after emergence.
MW/PCB/2014/0589	2,4-Dimethylamine Salt 720SL	2,4-D Amine (Dimethylamine Salt) 720 g/L	Xgenta HongKong Ltd	Export Trading Co. Limited	Herbicide for post-emergence of broad-leaved weeds in cereals, maize, sorghum, grassland and lawn.
MW/PCB/2014/0590	Profenothrin 440EC	Profenofos 400g/L + Cypermethrin 40g/L	Avima	Farmers Organisation Ltd	Insecticide for the control of aphids, jassids, and bollworms in cotton.
MW/PCB/2014/0591	Alligator 455 EC	Pendimethalin 455g/L	Farm Ag International (Pty) Ltd	Farmers Organisation Ltd	Herbicide for pre-emergence control of annual and perennial broadleaf weeds and certain grass species in sugarcane.

MW/PCB/2014/0592	Farmazone 700WG	Amicarbazone 700g/Kg WG	Farm Ag International (Pty) Ltd	Farmers Organisation Ltd	Herbicide for control of annual broad-leaf and grass weeds as well as suppression of yellow nutsedge in sugarcane.
MW/PCB/2014/0593	Olyset Plus	Permethrin 20g/Kg Long Lasting Insecticide Impregnated Net	Sumitomo Chemical Company	Farmers Organisation Ltd	Long Lasting Insecticidal Net.
MW/PCB/2014/0594	Dimethoate 40% EC	Dimethoate 400g/L (Insecticide)	Agrotez Tarim Sanayi	ChemPlus Limited	Insecticide for the control of aphids, cotton bedbugs and lygus bugs in cotton; aphids in potatoes, cabbage, beans and cauliflower; green vegetable bug and leafhoppers in soybeans.
MW/PCB/2014/0595	Lambda-Cyhalothrin 50EC	Lambda Cyhalothrin 500g/L (Insecticide)	Agrotez Tarim Sanayi	ChemPlus Limited	Insecticide for the control of cutworms, stalkborers in maize; red spider mite, aphids and bollworms in cotton; cabbage moth, potato beetle and old world bollworm in soybeans.
MW/PCB/2014/0596	Cypermethrin 25%EC	Cypermethrin 250g/L	Agrotez Tarim Sanayi	ChemPlus Limited	Insecticide for the control of a wide range of insect pests on horticultural crops.
MW/PCB/2014/0597	Ethephon 480SL	Ethephon 480g/L	Agrotez Tarim Sanayi	ChemPlus Limited	Plant growth Regulator to accelerate colour change and help to maintain uniform harvest in tomatoes; promotes opening of bolls and maintain uniform harvest in cotton; to increase sucrose content in sugarcane.
MW/PCB/2014/0598	Glyphosate 48% SL	Glyphosate 480g/L SC	Agrotez Tarim Sanayi	ChemPlus Limited	Herbicide for post-emergence control of perennial and annual weeds in agriculture as well as non-crop and industrial areas.
MW/PCB/2014/0599	Acetamiprid 20% SL	Acetamiprid 200g/L	Agrotez Tarim Sanayi	ChemPlus Limited	Insecticide for the control of aphids in cotton.

MW/PCB/2014/0600	Mancozeb 80% WP	Mancozeb 800g/Kg	Agrotez Tarim Sanayi	ChemPlus Limited	Fungicide to control early and late blight on tomatoes, eggplants and potatoes; tobacco blue mold; apple scab and cedar in fruits; damping off, rootrots and stem rots in seedlings.
MW/PCB/2014/0601	Imidacloprid 70% WS	Imidacloprid 700g/Kg	Agrotez Tarim Sanayi	ChemPlus Limited	Insecticide for the control of wireworms in maize; wireworms and potato beetle in potatoes; ground beetle in wheat; wireworms, millipedes, springtails and flea beetle in sugar beet.
MW/PCB/2014/0602	Raid Mik Eucalyptus Scent Dual Purpose Extra Low Odour	Imiprothrin 0.34g/Kg + Prallethrin 0.40g/Kg + Tetramethrin 2.0g/Kg + Piperonyl Butoxide (Synergist) 11.5g/Kg	SC Johnson & Son South Africa	Innscor Distribution Ltd	Insecticide for the control of crawling and flying insects (mosquitoes, cockroaches, ants, flies, bed bugs, fleas, crickets, fish moths).
MW/PCB/2014/0603	Tebuconazole 60 FS	Tebuconazole 60g/L	Avima pty Ltd	Chemical World	Fungicide for the control of leaf scald, net blotch, leafspot and rust in barley; stripe rot, leaf rust in wheat.
MW/PCB/2014/0604	Metalaxyl + Fludioxonil FC	Metalaxyl 10g/L + Fludioxonil 25g/L	Avima pty Ltd	Chemical World	Fungicide used for seed treatment against fungal infections.
MW/PCB/2014/0605	Imidacloprid 600FC	Imidacloprid 600g/L	Avima pty Ltd	Chemical World	Insecticide for the control of aphids and tobacco slug in tobacco; whitefly nymphs in tomatoes; aphids in cotton; and aphids in cucurbits and cruciferae.
MW/PCB/2014/0606	Thiram + Carboxin FC	Thiram 200g/L + Carboxin 200g/L	Avima pty Ltd	Chemical World	Fungicide used afor seed treatment against soil-borne fungal diseases.
MW/PCB/2014/0607	Biocult Mycorrhiza WS	Mycorrhiza Spp 400 Spores/g + Trichoderma 1 x 10 ⁹ Spores/g	Nulandis	Farmers Organisation Ltd	Bio-fertilizer used as a seed coating inoculant.

MW/PCB/2014/0608	Clomazone 480EC	Clomazone 480g/L (isoxazolidinone)	Arysta LifeScience South Africa, P.O. Box 1726, Mt Edgecombe, 4300, South Africa. Bongiwe.Mbatha@arysta.com	Farmers Organisation, P.O. Box 1916, Blantyre. farmorg@africa-online.net & Greenbelt Fertilizers Ltd, Box 30582, Lilongwe. ilockington@greenbeltmw.com	Selective residual pre-emergence herbicide for the control of annual grasses and some broadleaf weeds in tobacco grown in summer rainfall region. WHO CLASS III
MW/PCB/2015/0609	Chlorpyrifos 48% EC	Chlorpyrifos 480g/L	Meghmani Organics Ltd - Afri Ventures Blantyre LTD	Afri Ventures Blantyre Ltd	Insecticide with fumigant action to control bollworms, cutworms, termites, borers in cotton, vegetables and fruit trees. Also widely used in pre and post construction and Public Health.
MW/PCB/2015/0610	Mancozeb 80% WP	Mancozeb 800g/Kg	Sabero Organics Gujarat Ltd -	Afri Ventures Blantyre Ltd	Fungicide to control cercospora in groundnuts; rust and anthracnose in beans; alternaria and anthracnose in tobacco; early blight and leafspot in tomatoes.
MW/PCB/2015/0611	Actellic Gold Dust	Pirimiphos-methyl 16g/Kg + Thiamethoxam 3.6g/Kg	Syngenta Crop Protection AG	Farmers Organisation Ltd	Insecticide for the control of weevils in grain cereals, beans, groundnuts and smaller grain borers.
MW/PCB/2015/0612	Wivolkil Super 275Ec	Deltamethrin 25g/L + Fenitrothion 250g/L	AHL Chemicals and Steel Co. Ltd	Agriculture Trading Company	Insecticide for use as a grain protectant for pests found in maize, soya and beans.
MW/PCB/2015/0613	ZeroFly Storage Bag	Deltamethrin 3.0g/Kg (0.3% (318mg/m ²) ± 25%)	Vestergard Group S.A.	Nankhwiriji Company LTD	Insecticide for the control of post harvest pests such as borers, weevils, beetles and moths in stored seeds and grains such as maize, groundnuts and dry beans.

MW/PCB/2015/0614	Opera SE	Praclostobin (Strobilurine) 133g/L + Epoxiconazole (Triazole) 50g/L	BASF SA	Farmers Organisation Ltd	Fungicide for the control of fungal diseases in maize (<i>Cercospora Maydis</i> , <i>Puccinia</i> Species and <i>Helminthosporium</i> Spp), sugarcane (<i>Puccinia</i> Spp, <i>Puccinia Melanocephala</i>) and soybeans (<i>Pyreno Chaetaa Glycines</i>).
MW/PCB/2015/0615	Cabrio Duo	Pyraclostobin puro 40g/L + Dimetomorf Puro 72g/L	BASF SA	Farmers Organisation Ltd	Fungicide for the control of mildew and anthracnose in potatoes, onions, tomatoes, carrot and water melons.
MW/PCB/2015/0616	NEEMPEX 3WP	Neem Oil 30g/Kg + Deltamethrin 15g/Kg	Crown Fertilizers & Pesticides Ltd	Crown Fertilizers & Pesticides Ltd	Bio-Insecticide for the control of aphids, leaf eaters and bollworms.
MW/PCB/2015/0617	Carifend Net	Alpha-cypermethrin 200mg/m2	BASF SA - Farmers Organisation	Farmers Organisation Ltd	Insecticide Impregnated Net.
MW/PCB/2015/0618	Typhoon 350SC	Imidacloprid 350g/L (Chloro-nicotinyl)	FarmAg International (pty) Ltd	Farmers Organisation Ltd	Insecticide for the control of aphids, red scale, thrips, leafminer and psylla on citrus trees; aphids on potatoes, cucurbits, and cruciferae; woolly aphid on apples, and suppression of thrips on sugarcane.
MW/PCB/2015/0619	Prime + 125EC	Flumetralin 125g/Lt	Syngenta Crop Protection AG	Farmers Organisation Ltd & Chemicals and Marketing	Plant Growth Regulator used as tobacco sucker control agent for sucker growth and development on flue-cured virginia and air-cured burley tobacco.
MW/PCB/2015/0620	Chess 50WG	Pymetrozine 500g/Kg	Syngenta Crop Protection AG	Farmers Organisation Ltd	Insecticide used to control aphids and whiteflies in vegetables, potatoes, cotton and; Planthoppers in rice.tobacco
MW/PCB/2015/0621	Solvigo 180SC	Abamectin 36g/Lt + Thiamethoxam 72g/Lt	Syngenta Crop Protection AG	Farmers Organisation Ltd	Nematicide & Insecticide for the control of twospotted spidermite in soyabeans, red mite and leafminer in citrus.

MW/PCB/2015/0622	Ginstar 540SC	Thidiazuron 360g/Lt (Phenylurea) + Diuron 180g/Lt (Urea)	Bayer (Pvt) Ltd	Farmers Organisation Ltd	A Plant growth Regulator used as a defoliant and a leaf regrowth suppressor to facilitate the harvesting of cotton.
MW/PCB/2015/0623	Nativo 300SC	Tebuconazole 200g/Lt + Trifloxystrobin (Strobilurin) (100 g/l)	Bayer (Pvt) Ltd	Farmers Organisation Ltd	Fungicide for the control of rust in coffee and soybeans, early blight in potatoes and tomatoes; grey leaf spot in maize, leaf rust and powdery mildew in wheat and tobacco.
MW/PCB/2015/0624	Velum Prime 500SC	Fluopyram 500g/l (Pyridinylethylbenzamide)	Bayer (Pvt) Ltd	Farmers Organisation Ltd	Nematicide for the control of nematodes in potatoes and tobacco.
MW/PCB/2015/0625	Herbikill 200 SL	Paraquat 200g/L	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Herbicide for the control of a wide spectrum of broad-leaved weeds and grasses in orchards, plantation, crops, forests, vegetable fields and pasture.
MW/PCB/2015/0626	Glyphosate 480g/L SC (Kick-Out)	Glyphosate 480g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Herbicide for the control of annual and perennial grasses and broad-leaved weeds, pre-emergence of many crops, e.g in cereals, peas, beans, oil seed rape; control of annual and perennial grasses and broad-leaved weeds in stubble and post-planting; as directed spray in vines and olives; in orchards, pasture, forestry and industrial weed control.
MW/PCB/2015/0627	Pyrethrins 0.2%WW (Mos-Kill) Dust	Pyrethrins 0.2%WW	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of cockroaches in domestic environments.
MW/PCB/2015/0628	Pyrethrins 0.25%WW + Permethrin 0.15%WW (Mos-Kill) Aerosol	Pyrethrins 0.25%WW + Permethrin 0.15%WW	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of mosquitoes in domestic environments.

MW/PCB/2015/0629	Alpha-Cypermethrin 10% (Dominator 10EC)	Alpha-cypermethrin 100g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Acaricide for the control of ticks. Also used to control tsetse flies, flies and midges.
MW/PCB/2015/0630	Alpha-Cypermethrin 100g/Lt (Mokrid 10EC)	Alpha-cypermethrin 100g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide used in Public Health for Indoor Residual Spray for the control of mosquitoes, ants, cockroaches and bedbugs.
MW/PCB/2015/0631	Metalaxyl 80g/Kg + Mancozeb 640g/Kg (Mister 72)	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Fungicide for the control of blights on tomatoes and potatoes and downy mildews and other diseases in flowers, vegetables and other crops.
MW/PCB/2015/0632	Cyamoxanil 8% + Mancozeb 64% (Mistress 72)	Cyamoxanil 80g/Kg + Mancozeb 640g/Kg	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Fungicide to control Early and late blight in tomatoes and potatoes; purple blotch on onions; downy mildew on cucurbits and roses.
MW/PCB/2015/0633	Amitraz 12.5%EC (Actraz 12.5EC)	Amitraz 125g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Acaricide / Insecticide for the control of ticks on cattle. Also used to kill ticks, tsetse flies, flies and midges.
MW/PCB/2015/0634	Deltamethrin 50g/Lt SC (Ex-Kupe)	Deltamethrin 50g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Acaricide / Insecticide used in Veterinary Health for the control of ticks on cattle. Also used to kill ticks, tsetse flies, flies and midges.
MW/PCB/2015/0635	Abamectin 1.8%EC (Vapcomic 1.8EC)	Abamectin 18g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide and Acaricide for the control of motile stages of mites, leaf miners, suckers, Colorado beetles on ornamentals, cotton, fruits, potatoes and vegetables.
MW/PCB/2015/0636	Beta-Cyfluthrin 5g/Lt GR (Tremor)	Beta-Cyfluthrin 0.5g/Kg	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of maize stalkborer.
MW/PCB/2015/0637	Dimethoate 400EC (Ogor 40EC)	Dimethoate 400g/Lt (Insecticide)	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of sucking insects, e.g. whiteflies, thrips, aphids, mites, beetles and leafminers on flowers, fruits, vegetables and cereals.

MW/PCB/2015/0638	Imidacloprid 20%SL (Mida 200SL)	Imidacloprid 200g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of sucking insects e.g. whiteflies, thrips, aphids, leafminers on flowers, fruits and vegetables, soil pests-termites.
MW/PCB/2015/0639	Chlorpyrifos 480g/L EC (Sulban 48EC)	Chlorpyrifos 480g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide used for the control of cutworms, aphids, whiteflies, leafminer, borers, thrips, beetles, armyworm, Russian wheat aphids, moths, caterpillars, mealybugs and scale in vegetables, fruits, flowers, cotton, coffee, sunflower, tea and pineapples.
MW/PCB/2015/0640	Cypermethrin 10% (Bilatix 10EC)	Cypermethrin 100g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide used as an ectoparasiticide for the control of ticks.
MW/PCB/2015/0641	Chlorothalonil 750WP	Chlorothalonil 750g/Kg	Nova Agro (HK) Ltd	Farmers Organisation	Fungicide for the control of coffee berry disease in coffee; early and late blight in tomatoes and potatoes; leaf spot in groundnuts and leaf rust in beans.
MW/PCB/2015/0642	Chlorban 48EC	Chlorpyrifos 480g/L	United Phosphorus Company	Agricultural Trading C.	Insecticide used for the control of aphids, jassids, budworms and white flies in cotton, vegetables, tobacco and potatoes.
MW/PCB/2015/0643	Strim 96EC	S-Metolachlor 960g/Lt	United Phosphorus Company	Agricultural Trading C.	Herbicide for pre and early post-emergence control of weeds in soyabeans, cotton, maize, potatoes and vegetables.
MW/PCB/2015/0644	Cap Up 50WP	Captan 500g/Kg	United Phosphorus Company	Agricultural Trading C.	Fungicide for the control of early and late blight in potatoes and tomatoes; downy mildew in grapes; brown rot in cherry; scab in apples.
MW/PCB/2015/0645	Sweep 41SL	Gyphosate 410g/L	United Phosphorus Company	Agricultural Trading C.	Herbicide for the control of weeds in tea, cotton, maize, sugarcane, soyabeans, macadamia and coffee.

MW/PCB/2015/0646	Magnesium Phosphide 56% Plate	Magnesium Phosphide 560g/Kg	United Phosphorus Company	Agricultural Trading C.	Fumigant/Insecticide for the treatment of raw cereal grain and other food products such as flour, mealed cereal products, dried fruits, cocoa, coffee beans, tobacco and animal feed products.
MW/PCB/2015/0647	Apache 70WG	Imidachloprid 700g/Kg	United Phosphorus Company	Agricultural Trading C.	Insecticide for the control of sucking insects including leaf and plant hoppers, aphids, thrips, whitefly, termites in cotton, rice, cereals, tobacco, maize and vegetables.
MW/PCB/2015/0648	Sumishield 50WG	Clothianidin 500g/Kg	Sumitomo Chemical Company	Farmers Organisation	Insecticide used in Public Health to control mosquitoes.
MW/PCB/2015/0649	Sumilarv 0.5G	Pyriproxyfen 5g/Kg	Sumitomo Chemical Company	Farmers Organisation	Insecticide used in Public Health to control mosquitoes and house flies.
MW/PCB/2015/0650	Umeme EC	Lambda-Cyhalothrin 50g/l	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of Cutworms, Aphids, Whiteflies, borers, Diamond back moth, Soopers, Semiloopers, Thrips, beetles, Russian wheat Aphids, Moths, caterpillars, Stainers, African bollworms, Atestia bug and Maize Stalkborer.
MW/PCB/2015/0651	Alpha 10 EC	Alpha Cypermethrin 100g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide/Acaricide for the control of Ticks, Tsetse flies, Flies and Midges.
MW/PCB/2015/0652	Betafos 263 EC	Beta-Cyfluthrin 12.5g/Lt + Chlorpyrifos 250g/Lt	Osho Chemical Indus Ltd.	Osho Chemical Ltd	Insecticide for the control of Cutworms, Aphids, Whiteflies, Leafminer, Borers, Thrips, Beetles, Armyworm, Russian wheat Aphids, Moths, Caterpillars, Diamond back moth, Mealybugs and Scale on vegetables, fruits, flowers, Cotton, Coffee, Sunflower, Tea and Pineapples..

MW/PCB/2015/0653					1
------------------	--	--	--	--	---